*International Journal of Basic and Applied Sciences*, 14 (SI-1) (2025) 18-21

International Journal of Basic and Applied Sciences

*Website: www.sciencepubco.com/index.php/IJBAS*
*https://doi.org/10.14419/ers7yy03*
***Research paper***



# Autonomous Navigation in Marine Vehicles: AI and IoT-Based Approaches

**Ikhar Avinash Khemraj *, Charpe Prasanjeet Prabhakar**

*Department of Electrical and Electronics Engineering, Kalinga University, Raipur, India*
**Corresponding author E-mail: ikhar.avinash@kalingauniversity.ac.in*

*Received: May 2, 2025, Accepted: May 26, 2025, Published: July 7, 2025*

**Abstract**

IoT and AI have brought about a revolution in autonomous maritime navigation. This research looks at the integrated technology to see how autonomous maritime systems use these components to navigate highly dynamic maritime environments. The research delves into perception, decision making, and control systems as the building blocks. The proposed IoT-enabled system architecture has improved sensors to capture and transmit data in real time to always sustain situational awareness. The vehicle's performance and operational safety improve with the application of AI techniques, which include machine learning and deep reinforcement learning for route planning and obstacle detection, and adaptive decision making. This research provides a framework and conceptual maps on how to collect data and process autonomous navigation steps. Through simulation and real-world prototype deployment, the system proves to be able to keep exact mobility and find the best route in different environmental conditions. The research identifies latency, cybersecurity, and energy efficiency constraints and recommends future research directions to address these issues. This research provides a foundation to develop innovative autonomous systems that will drive long-term advancements in maritime exploration and transportation systems.

***Keywords***: *IOT; AI; Autonomous Maritime Navigation; Decision Making; Deep Learning; Machine Learning.*

## 1. Introduction

Various maritime applications are relying on autonomous marine vehicles (AMVs) for environmental monitoring, offshore exploration, maritime security, and transportation functions [1]. Modern technology addresses maritime operational needs for efficiency, safety, and reliability through vehicle autonomy systems [13]. Effective autonomous navigation requires solving big challenges like collecting real time data and improving environmental perception and processing and decision making under unpredictable sea conditions. The combination of AI and IoT has been game-changing in this industry [2]. IoT networks can collect real-time environmental and operational data using multiple sensors [3] [6]. While collecting data AI performs state of the art analytics that gives AMVs the ability to detect patterns and operate optimally while navigating through obstacles with precision. Through their integration, AI and IoT enable amphibious vehicles to navigate autonomously under changing conditions. This paper investigates how AI works with IoT to create reliable autonomous navigation for AMVs [14]. A conceptual framework exists along with technological achievements and future directions on how to build large scale intelligent marine navigation systems [17] [11].

## 2. Methodology

### 2.1. Sensor and IoT devices

Autonomous maritime vehicle operation requires sensors and IoT devices to provide real time data from both environmental and operational domains [5]. Autonomous maritime vehicles use LIDAR to detect objects and map terrain and sonar to detect underwater hazards and GPS to provide precise positioning and marine weather sensors to report wind speed, water temperature and current conditions [15]. With IoT capabilities, sensors can send data to either a processing unit or a cloud platform [7] [8]. Continuous data transmission enables situation awareness and proper system response for autonomous maritime vehicles. Safe navigation relies on the performance and reliability of these detection tools [12].

**Copyright © Ikhar Avinash Khemraj, Charpe Prasanjeet Prabhakar. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.**





**Fig. 1:** Flowchart for Autonomous Navigation.

### 2.2. AI-based processing

AI-based processing is the key component that converts raw sensor data into valuable information. Through machine learning, the system does pattern recognition and anomaly detection to detect both threats and unknown events [16] [4]. Deep reinforcement learning is used for path planning and dynamic context decision making. AI models are trained from large data sets to ensure operational success in real-world scenarios [10].

## 3. Proposed system architecture

### 3.1. Data collection layer

The proposed system's bottom layer collects environmental and positional data through IoT sensors distributed throughout the system. LIDAR detects objects, sonar creates underwater maps, GPS tracks positions, while weather sensors track temperature and wind conditions, and water currents. The marine vehicle gets data to know its environment. The running of this layer provides continuous delivery of raw data in real time. The system's ability to operate autonomously depends heavily on precise sensors and reliable performance to enable robust navigation and flexible decision making.

### 3.2. Communication layer

The communication layer receives data from edge and cloud locations, where processing happens. IoT connectivity is through 5G networks and satellite links, and long-range radio that provides low latency and high bandwidth [9]. The vehicle can keep real-time data coordination with remote servers through this layer and have quick decision-making times. The communication system provides enduring connectivity in harsh marine environments to operate in remote locations. The layer provides two-way connectivity so the system can receive control commands and software updates from central administration platforms.

### 3.3. Processing layer

The processing layer uses strong AI to process sensor data. All machine learning models support three functions: pattern detection and anomaly detection, and predictive analytics. Through deep reinforcement learning, route planning is enhanced and adaptive navigation capabilities, including obstacle avoidance and automated environmental route changes. Edge computing processing requirements complement storage requirements under cloud computing.

### 3.4. Execution layer

The execution layer uses control commands to activate mechanical and propulsion systems in marine vehicles to execute navigation choices. Embedded control systems re-calculate processed data and then modify the vehicle's movement by changing steering direction, speed and altitude. With precise control commands from embedded systems, actuators and servo mechanisms perform actions to ensure vehicle course guidance and obstacle avoidance. Safety redundancy is built into this infrastructure to lower the system failure probability. Autonomous vehicles can operate reliably in various maritime environments because the execution layer provides stability and adaptability in dynamic conditions.

# 4. Results

## 4.1. Simulated studies

The system was tested in various environmental conditions like big waves, changing wind speeds, and heavy obstacles through simulation. Simulation tests showed the system navigated 95% of the time by avoiding obstacles and optimizing its path. AI network processing examined sensor data in real time to make quick navigation decisions in milliseconds. Testing environments proved system stability as route planning errors were minimal and risk detection was high.

**Table 1:** Simulation Study Results

| Condition | Obstacle Avoidance Success Rate (%) | Path Optimization Efficiency (%) | Processing Time (ms) |
|---|---|---|---|
| Calm waters | 98 | 97 | 10 |
| Moderate winds | 96 | 95 | 15 |
| Dense obstacle field | 93 | 90 | 20 |
| Rough seas | 92 | 89 | 25 |

## 4.2. Real-world implementation

The system prototypes were tested 50 nautical miles in real real-world maritime environment, and the results were precise. The system was energy efficient through environmental input-driven modification of steering and propulsion commands. The system navigated precise tasks despite changing operational conditions and kept path deviation within 1% of the original route. These tests proved the system can operate autonomously without compromising safety and be energy efficient. The system is ready for operation in maritime exploration and shipping.

**Table 2:** Real-World Implementation Results

| Metric | Value | Unit |
|---|---|---|
| Distance Covered | 50 | Nautical miles |
| Energy Efficiency | 92 | % |
| Route Deviation | 0.8 | % |
| Obstacle Avoidance | 94 | % |
| Average Speed | 8 | Knots |

# 5. Discussion and future work

The integrated AI and IoT in this proposal can change the face of autonomous sea navigation. Wide-scale deployment faces challenges that need better cybersecurity to counter data breaches and lower communication latency, and energy efficiency for long-term capabilities. The growth of this technology depends on solving the identified problems in the maritime environment. Experimental research shows that blockchain can be the solution to build secure tamper-proof systems for data transfer. The system benefits from quantum computing as it speeds up decision-making algorithms and efficiency, so the system can handle complex computations and respond to dynamic maritime operational scenarios better.

# 6. Conclusion

Autonomous navigation for marine vehicles comes from the combination of artificial intelligence and the Internet of Things. With IoT-enabled sensors and AI processing power, marine operations get real-time sensor data collection and instant connectivity, and adaptive decisions. These two technologies enable obstacle avoidance and optimal routing to achieve operational control for safety and excellence in marine operations. Under AI and IoT control, marine vehicles have massive potential to transform the marine industry. With low cost and scalability, these solutions can bring about breakthroughs in environmental monitoring and offshore surveys and enhance marine transportation. Systemwide performance can be improved by solving cyberspace and latency, and power consumption issues. The roadmap to AMV's full potential is to advance AI and IoT because marine environments are getting complex, and autonomous applications are growing fast. Through multidisciplinary research and new technology development, future systems will have unprecedented levels of reliability and efficiency, and autonomy to transform marine exploration and navigation for the future.

# References

[1] Mwakisoma, M. P., & Ma, M. Tortious Liability for Autonomous Marine Vehicles Collisions: A Suggestive Move from Fault-Based to Strict Liability.
[2] El-Saadawi, E., Abohamama, A. S., & Alrahmawy, M. F. (2024). IoT-based optimal energy management in smart homes using harmony search optimization technique. International Journal of Communication and Computer Technologies, 12(1), 1-20.
[3] Kazi, K. S. L. (2025). Transformation of Agriculture Effectuated by Artificial Intelligence-Driven Internet of Things (AIIoT). In Integrating Agriculture, Green Marketing Strategies, and Artificial Intelligence (pp. 449-484). IGI Global Scientific Publishing. https://doi.org/10.4018/979-8-3693-6468-0.ch015.
[4] Akash, Kaviya, Nithish, Sethupathi, & Balamurugan. (2022). Traffic Flow Prediction Using RF Algorithm in Machine Learning. International Academic Journal of Innovative Research, 9(1), 37–41. https://doi.org/10.9756/IAJIR/V9I1/IAJIR0906.
[5] Sreenivasu, M., Kumar, U. V., & Dhulipudi, R. (2022). Design and Development of Intrusion Detection System for Wireless Sensor Network. Journal of VLSI Circuits and Systems, 4(2), 1–4. https://doi.org/10.31838/jvcs/04.02.01.
[6] Cheng, L. W., & Wei, B. L. (2024). Transforming smart devices and networks using blockchain for IoT. Progress in Electronics and Communication Engineering, 2(1), 60–67.
[7] Kozlova, E. I., & Smirnov, N. V. (2025). Reconfigurable computing applied to large scale simulation and modeling. SCCTS Transactions on Reconfigurable Computing, 2(3), 18–26.
[8] John Samuel Babu, G., & Baskar, M. (2023). Location Aware DFS Scheduling Based Improved Quality of Service Maximization with IoT Devices in Cloud Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications, 14(1), 37-49. https://doi.org/10.58346/JOWUA.2023.I1.003.

[9] Müller, M. A., Schmidt, J. C., & Fischer, C. M. (2025). Sustainable VLSI design: Green electronics for energy conscious systems. Journal of Integrated VLSI, Embedded and Computing Technologies, 2(2), 44–51.
[10] Shih, W. C., Wang, Z. Y., Kristiani, E., Hsieh, Y. J., Sung, Y. H., Li, C. H., & Yang, C. T. (2025). The Construction of a Stream Service Application with DeepStream and Simple Realtime Server Using Containerization for Edge Computing. Sensors, 25(1), 259. https://doi.org/10.3390/s25010259.
[11] Gyamfi, N. K., Goranin, N., Čeponis, D., & Čenys, H. A. (2022). Malware detection using convolutional neural network, a deep learning framework: comparative analysis. Journal of internet services and information security, 12(4), 102-115. https://doi.org/10.58346/JISIS.2022.I4.007.
[12] Veerappan, S. (2023). Designing voltage-controlled oscillators for optimal frequency synthesis. National Journal of RF Engineering and Wireless Communication, 1(1), 49-56.
[13] Fu, X., & Xu, X. (2025). The research on wide-area protection technology in power systems is supported by wide-area measurement systems. Advances in Resources Research, 5(1), 103-122.
[14] Saad, M. S., Baharudin, M. E., Mohd Nor, A., & Zakaria, M. Z. A Recent Systematic Review: System Identification for Modeling and Control in Autonomous Vehicles.
[15] Nawaz, M., Khan, S., Daud, M., Asim, M., Anwar, G. A., Shahid, A. R., ... & Yuan, W. (2025). Improving Autonomous Vehicle Cognitive Robustness in Extreme Weather with Deep Learning and Thermal Camera Fusion. IEEE Open Journal of Vehicular Technology. https://doi.org/10.1109/OJVT.2025.3529495.
[16] Silva, F. A. D., Vivoni, A. M., Gomes, H. M., Oliveira, L. A. D. S., Sant'Anna, A. P., & Gavião, L. O. (2025). A Risk Analysis Model for Biosecurity in Brazil Using the Analytical Hierarchy Process (AHP). Standards, 5(1), 2. https://doi.org/10.3390/standards5010002.
[17] Filchev, L. (2025). Remote Sensing. In Advances in Geospatial Technologies for Natural Resource Management (pp. 1-24). CRC Press. https://doi.org/10.1201/9781003035404-1.
[18] Liu, Z., Chen, X., Wu, H., Wang, Z., Chen, X., Niyato, D., & Huang, K. (2025). Integrated Sensing and Edge AI: Realizing Intelligent Perception in 6G.
[19] Frasier, M. A., Coleman, J., Maguire, J., Trslić, P., Dooly, G., & Toal, D. (2025). Autonomous Forklifts: State of the Art—Exploring Perception, Scanning Technologies and Functional Systems—A Comprehensive Review. Electronics, 14(1), 153. https://doi.org/10.3390/electronics14010153.
[20] E. Kepros, Y. Chu, B. Avireni, S. K. Ghosh, B. Wright and P. Chahal, "Additive Manufacturing of a mmWave Microstrip Leaky Wave Antenna on Thin Alumina Substrate," 2024 IEEE 74th Electronic Components and Technology Conference (ECTC), Denver, CO, USA, 2024, pp. 1742-1745, https://doi.org/10.1109/ECTC51529.2024.00289.
[21] Aal-Rkhais, H. (2025). Qualitative and numerical analysis to a time-fractional Stefan convection-diffusive model using Riemann-Liouville and Caputo operators. Results in Nonlinear Analysis, 8(1), 41-59.