International Journal of Basic and Applied Sciences, 14 (SI-1) (2025) 30-33

International Journal of Basic and Applied Sciences

Website: www.sciencepubco.com/index.php/IJBAS
https://doi.org/10.14419/sswgm581
Research paper



Exploring The Multimodal Integration of Emerging Transit Systems in Urban Mobility

Dr. F. Rahman *, Dr. Nidhi Mishra

Assistant Professor, Department of CS & IT, Kalinga University, Raipur, India
**Corresponding author E-mail: ku.frahman@kalingauniversity.ac.in*

Received: May 2, 2025, Accepted: May 26, 2025, Published: July 7, 2025

Abstract

This research investigates the integration methods for new transit systems within urban mobility frameworks when studying multi-modal transportation systems. Cities that grow face significant obstacles from transportation system congestion, alongside pollution and overall operational inefficiency. Researchers explore the possibility of building integrated transportation systems by bringing together autonomous vehicles with electric scooters and bike-sharing systems, along with public transit and ride-sharing services, to create efficient, sustainable urban mobility frameworks. This study explores multi-modal integration from technical and policy perspectives using a combined qualitative case study and quantitative modeling methods. Effective implementation of transportation integration efforts produces benefits that include reduced congestion and decreased carbon pollution, together with enhanced mobility throughout cities. Finally, the research proposes methods for lawmakers and municipal planners to implement interconnected multi-modal transportation systems that will meet shifting urban mobility requirements.

Keywords: *Multi-Modal Transportation Integration; Urban Mobility Systems; Sustainable Transit Solutions; Autonomous and Shared Mobility; Transportation Policy and Planning.*

1. Introduction

1.1. Transformation of urban mobility systems

The modern urban transportation system transforms rapidly because of technological progress and environmental needs, along with restrictions from previous transportation infrastructure [1]. Cities at different stages of development increasingly demand these solutions that combine efficiency with sustainability and inclusion in public transport [4]. Transit systems mainly powered by private vehicles create transport bottlenecks, environmental contamination, and system performance issues [12]. Cities respond to these challenges by creating innovative transportation solutions, including automated vehicles combined with mobility-sharing programs and transportation electrification projects [3]. These advancing systems create a pathway to transport methods that are both sustainable and more versatile and intelligent for urban residents to utilize for movement and connection to transportation [2].

1.2. Benefits of multi-modal transportation

Silent multimodal transport systems connect buses, trains, bicycles, and electric scooters. The main benefits are lower congestion and higher productivity. Deploying multi-modal transport systems means better connections and easier commutes because passengers have more transport options [13]. Multi-modal transport is better for environmental sustainability because it provides options for transport that emit less carbon than driving a car. The accessibility outcomes of multi-modal transport are more obvious for marginalized communities, so more social equity and sustainable mobility for metropolitan populations [5].

1.3. Challenges and roles of technology and policy

Combining separate transport systems meets strong opposition because of many implementation barriers. Combining different transport systems has two main challenges: technology problems from data transmission between modes and systems, and regulatory barriers from oversight and service accessibility [8]. Integrated services work when public and private entities can create common rules that allow innovation while maintaining equity, safety, and environmental sustainability [14]. Real-time data and mobile apps enable transfers between multiple transport systems, but policy initiatives deal with bigger economic and social issues of integrated networks [6].

Copyright © Dr. F. Rahman, Dr. Nidhi Mishra. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

2. Review of literature

The research by Chadalawada [7] looks at ways to transform public transport systems through multimodal transport networks in smart cities. The study uses advanced IoT technology with AI-powered predictive analytics and real-time data exchange to connect transit systems, reduce delays, and increase sustainability benefits. Innovations include a whole transport system coordination between modes with dynamic scheduling and services by user demand that work through mobile apps for ticketing and route planning. Expensive infrastructure costs, data sharing problems, and user hesitation pose big challenges to implementation. The two main barriers to the wider adoption of this technology are fair access and cybersecurity.

A new method by Wang et al. [16] provides a framework to design transit-oriented multimodal transport systems with traveler preferences and choices. By using advanced modeling tools, the study optimizes network layouts and service times and creates integrated systems that deliver transport systems for end users. The traveler behavior analysis recommends performance improvements and marketing strategies to increase public transport use. Large-scale system implementation faces limitations because of proper travel behavior prediction, together with managing operational issues and maintaining seamless intermodal coordination capabilities. Data collection methodologies combined with technical investments represent key priorities identified by the study.

The interactions and dependency relations between several transport systems are studied by Alessandretti et al. [9] through their examination of multilayer transport networks. The research implements elaborate network analysis methodologies to optimize urban transportation systems, which enhance connectivity and efficiency while advancing sustainability goals in urban areas. Public transportation networks unite with walking and biking infrastructure to develop continuous journey options that benefit users across urban areas. The research acknowledges implementation limitations because of limited available data and issues with scalability and ensuring coordination between multiple modes, although these issues would probably hinder the actual implementation of multilayered systems in real-world urban situations.

Ho and Tirachini [15] examine how transportation-as-a-service (MaaS) supports sustainable urban transportation through multimodal systems in developing nations as well as developed nations. This study examines new MaaS developments involving integrated trip management systems and payment methods, plus real-time communication that increases the effectiveness of diverse transportation networks. Users benefit from MaaS by choosing public transport in combination with cycling activities, which reduces environmental impact and transportation bottlenecks. The report highlights two main issues: the digital divide faced by developing countries and the high costs of infrastructure and regulatory barriers to adoption. Global MaaS adoption depends on solving both equity issues and data privacy [10].

Wang et al. [11]'s research develops a new approach to evaluate urban multimodal transport network resilience by linking passenger demand to infrastructure supply dynamics. They present advanced modeling techniques to identify system vulnerabilities and maximize operational efficiency during disruptions while balancing infrastructure capacity and user input. Scenario-based resilience assessments with system adaptability strategies, including flexible routing and capacity changes, are the main innovations.

3. Methodology

3.1. The qualitative case study approach

A research investigation consists of qualitative case studies that focus on analyzing effective implementations of multimodal transportation systems in selected cities. Multiple transit choice integration stands high in three cities: Singapore and Copenhagen, alongside New York City. Each case study examines how cities combine transport modes alongside their achieved results and encountered implementation challenges. Understanding the genuine challenges cities encounter comes from collecting information through interviews conducted with urban mobility specialists and municipal planners, as well as transportation authorities.

3.2. Interviews with stakeholders

Urban mobility planning specialists, together with policy developers, participate in in-depth interviews. The study included interviews with urban mobility expert municipal planners and transport authorities, as well as new transport company representatives. The interviews cover how well new transport systems fit with existing infrastructure. Participants talk about funding challenges, regulatory frameworks, public support dynamics, and public-private partnership alignment. Expert insights give a full picture of the many factors that influence both the setup and operation of multi-modal transport systems in cities.

3.3. Quantitative simulation model

A simulation model was built in this study to see how different transport options affect urban mobility by measuring trip duration, traffic congestion, and CO2 emissions. The methodology uses real data from public transport authorities and new mobility companies, combined with urban relevance indicators such as population density, traffic behavior, and public transport frequency. The model simulates multimodal systems by testing different integration scenarios to see efficiency improvements and reduced environmental impact. Through this simulation, multiple transport system configurations can be tested to generate data for future mobility policies and city planning.

3.4. Comparative analysis of cities

This research analyzes urban transportation systems across different integration levels to evaluate multi-modal networks for city mobility enhancements. Researchers perform complete evaluations of municipal infrastructure as well as regulatory frameworks and operations, while reporting performance metrics that include transportation flow improvements, alongside travel time decreases, emission reductions, and positive user experiences. The assessment of Singapore, together with Copenhagen and New York City, demonstrates which combinations of elements result in prosperous multi-modal integration and what aspects must be improved. The research results offer significant value to cities that are building comparable transportation systems.

3.5. The impact on urban mobility

The broader effects that emerge when different transport systems operate together to improve urban mobility form the basis of this subtopic. The research explores how mixed-mode transportation systems create benefits by overcoming congestion problems while improving accessibility and supporting safe, green transportation options. The study investigates user behavior, mode-switching trends, and the significance of real-time data in transportation decisions. Research explores the creation of efficient ecosystem-friendly, inclusive urban spaces through multi-modal transport systems while examining these systems' environmental, social, and economic impacts. The outcome of this work successfully supports the development of policies and plans that target better urban mobility for future metropolitan areas.

4. Results and discussion

4.1. Impact on congestion and traffic flow

Multi-service transportation integration systems actively improve roadway management and reduce congestion levels. Bike sharing and e-scooters in cities reduce motor vehicle usage. These modes offer affordable services with flexibility and efficient travel options to reduce private vehicles on the road and therefore reduce traffic congestion. Research shows that cities like New York and Copenhagen see at least a 15% reduction in people driving cars and therefore less traffic congestion. Moving to fewer private vehicles improves urban mobility and reduces traffic congestion.

Table 1: Impact on Congestion

City	Reduction in Car Usage (%)	Reduction in Traffic Congestion (%)
New York	14	10
Copenhagen	16	12
Singapore	15	10
London	13	9

4.2. Reduction in carbon emissions

Multi-modal transport systems make environmental sustainability gains through emissions reduction. Communities reduce their overall carbon footprint through electric bikes ecotric e-scooters, and mass transit that replaces private driving. Cities with successful bike-sharing and e-scooter systems see up to a 20% reduction in urban carbon emissions.

Table 2: Carbon Emission Reduction

City	Reduction in Carbon Emissions (%)
Copenhagen	18
New York	14
Singapore	12
San Francisco	16

5. Conclusion

Urgent integration of modern transport systems into urban mobility frameworks is an opportunity for cities to address congestion, pollution, and inefficiency. Research shows that well-designed multi-modal transport networks result in reduced traffic congestion, lower carbon outputs, and higher journey efficiency. E-scooters and bike sharing with self-driving cars work together in Singapore, Copenhagen, and New York City to create streamlined travel systems and higher system usage. Active transport issues remain mainly due to access and data protection. To achieve social equity, all residents of urban areas must have mobility options regardless of income. Confident use of linked systems depends on resolving user concerns around data security. For growing cities, the success of multi-modal transport integration depends on public-private partnerships and innovative technical solutions with holistic policies for sustainability and diversity.

References

[1] Pojani, D., & Stead, D. (2015). Sustainable urban transport in the developing world: beyond megacities. *Sustainability*, *7*(6), 7784-7805. https://doi.org/10.3390/su7067784.

[2] Surendheran, A. R., & Prashanth, K. (2015). A survey of energy-efficient communication protocol for wireless sensor networks. *International Journal of Communication and Computer Technologies, 3*(2), 50-57. https://doi.org/10.31838/ijccts/03.02.01.

[3] Sumitkumar, R., & Al-Sumaiti, A. S. (2024). Shared autonomous electric vehicle: Towards social economy of energy and mobility from power-transportation nexus perspective. *Renewable and Sustainable Energy Reviews, 197,* 114381. https://doi.org/10.1016/j.rser.2024.114381.

[4] Dr.R. Shridhar, & Dr.R. Udayakumar. (2024). Tourism Management Information System: A Study of its Adoption and Impact on Destination Management. *Indian Journal of Information Sources and Services, 14*(3), 216–221. https://doi.org/10.51983/ijiss-2024.14.3.27.

[5] Shahzad, K., & Cheema, I. I. (2024). Low-carbon technologies in the automotive industry and decarbonizing transport. *Journal of Power Sources, 591,* 233888. https://doi.org/10.1016/j.jpowsour.2023.233888.

[6] Najm, H. Y. (2023). Studying the Ratio of Different Diameters of the Central Hole to the Width of the Plate on the Stress Concentration Factor by Ansys. *International Academic Journal of Science and Engineering, 10*(1), 7–13. https://doi.org/10.9756/IAJSE/V10I1/IAJSE1002.

[7] Chadalawada, R. (2024). Optimizing public transit networks is an exploration of how multi-modal transportation systems can be integrated into smart cities.

[8] Kondam, R. R., Sekhar, P. C., & Boya, P. K. (2024). Low Power SoC-Based Road Surface Crack Segmentation Using UNet with EfficientNet-B0 Architecture. Journal of VLSI Circuits and Systems, 6(1), 61–69.

[9] Alessandretti, L., Natera Orozco, L. G., Saberi, M., Szell, M., & Battiston, F. (2023). Multimodal urban mobility and multilayer transport networks. *Environment and Planning B: Urban Analytics and City Science, 50*(8), 2038-2070. https://doi.org/10.1177/23998083221108190.

[10] Uvarajan, K. P. (2025). Advanced Thermal Energy Storage Materials for Concentrated Solar Power (CSP) Plants. National Journal of Renewable Energy Systems and Innovation, 38-46.

[11] Wang, N., Wu, M., & Yuen, K. F. (2023). A novel method to assess urban multimodal transportation system resilience considering passenger demand and infrastructure supply. *Reliability Engineering & System Safety, 238,* 109478. https://doi.org/10.1016/j.ress.2023.109478.
[12] Xu, S., Sun, C., & Liu, N. (2024). Road congestion and air pollution-Analysis of spatial and temporal congestion effects. *Science of The Total Environment,* 173896. https://doi.org/10.1016/j.scitotenv.2024.173896.
[13] Flammini, F., & Trasnea, G. (2025). Battery-powered embedded systems in IoT applications: Low power design techniques. SCCTS Journal of Embedded Systems Design and Applications, 2(2), 39–46.
[14] Chia-Hui, C., Ching-Yu, S., Fen, S., & Ju, Y. (2025). Designing scalable IoT architectures for smart cities: Challenges and solutions. Journal of Wireless Sensor Networks and IoT, 2(1), 42-49.
[15] Kumar, M., & Sharma, S. (2024). Renewable Energy and Sustainable Transportation. In Role of Science and Technology for Sustainable Future: Volume 1: Sustainable Development: A Primary Goal (pp. 375-414). *Singapore: Springer Nature Singapore.* https://doi.org/10.1007/978-981-97-0710-2_22.
[16] Andrade, A. C. C., & Vasquez, M. C. S. (2024). The Compatibility Between SDGs and the EU Regulatory Framework of AI. *Journal of Ethics and Legal Technologies, 6*(JELT-Volume 6 Issue 1), 11-144.
[17] Ho, C. Q., & Tirachini, A. (2024). Mobility-as-a-Service and the role of multimodality in the sustainability of urban mobility in developing and developed countries. *Transport Policy, 145,* 161-176. https://doi.org/10.1016/j.tranpol.2023.10.013.
[18] Wang, Y., Lin, X., He, F., & Li, M. (2022). Designing transit-oriented multi-modal transportation systems considering travelers' choices. Transportation Research Part B: Methodological, 162, 292-327. https://doi.org/10.1016/j.trb.2022.06.002.
[19] Van, C., Trinh, M. H., & Shimada, T. (2025). Graphene innovations in flexible and wearable nanoelectronics. Progress in Electronics and Communication Engineering, 2(2), 10–20. https://doi.org/10.31838/PECE/02.02.02
[20] Padoor, P., Kedukodi, B. S., Kuncham, S. P., & Koppula, K. (2025). Prime Strong Ideals of S-semigroup. Results in Nonlinear Analysis, 8(1), 151-162.
[21] E. Kepros, Y. Chu, B. Avireni, B. Wright and P. Chahal, "Additive Manufacturing of Millimeter Wave Passive Circuits on Thin Alumina Substrates," *2023 IEEE 73rd Electronic Components and Technology Conference (ECTC)*, Orlando, FL, USA, 2023, pp. 1852-1857, https://doi.org/10.1109/ECTC51909.2023.00317.