International Journal of Basic and Applied Sciences, 14 (SI-1) (2025) 60-63

International Journal of Basic and Applied Sciences

Website: www.sciencepubco.com/index.php/IJBAS
https://doi.org/10.14419/9xq1vq86
Research paper



Advances in Quantum Computing: Bridging Theoretical Models and Practical Applications

Shobhit Goyal [1] *, Shashikant Deepak [2], Dr. Manoranjan Das [3], Dr. A. Aranganathan [4], M. Sunil Kumar [5], Tarang Bhatnagar [6], Madhur Grover [7]

[1] Quantum University Research Center, Quantum University, Roorkee, Uttarakhand, India
[2] Assistant Professor, uGDX, ATLAS SkillTech University, Mumbai, India
[3] Associate Professor, Centre for Internet of Things, Siksha 'O' Anusandhan (Deemed to be University), Bhubaneswar, Odisha, India
[4] Associate Professor, Department of Electronics and Communication Engineering, Sathyabama Institute of Science and Technology, Chennai, Tamil Nadu, India
[5] Assistant Professor, Department of Mechanical Engineering, Faculty of Engineering and Technology, JAIN (Deemed-to-be University), Ramnagar District, Karnataka, India
[6] Centre of Research Impact and Outcome, Chitkara University, Rajpura, Punjab, India
[7] Chitkara Centre for Research and Development, Chitkara University, Himachal Pradesh, India
**Corresponding author E-mail: shobhit.goyal@quantumeducation.in*

Received: May 2, 2025, Accepted: May 31, 2025, Published: July 7 2025

Abstract

Notwithstanding the academic and engineering obstacles encountered in the advancement of Quantum Computers (QC), significant strides are being made to advance the integration of the method to commercial uses. This article examines the solutions several companies are developing with quantum hardware. The research presents these as combinatorial challenges, demonstrating their use across four industry sectors: cybersecurity, nanomaterials and medications, financial services and banking, and modern manufacturing. Although QC is not now available at the requisite scale to address all combinatorial issues, the research delineates three imminent prospects arising from advancements in QC: quantum-safe cryptography, material and medicine exploration, and quantum-inspired methods.

Keywords: *Quantum Computing; Theoretical Models; Applications; Analysis; Developing; Cybersecurity; Financial.*

1. Introduction

Studies in Quantum Computers (QC) [1] can enhance communication technologies by facilitating the transfer and processing of quantum bits (qubits), the quantum physical equivalent of classical bits, over distant places. QC is in its nascent phase but possesses significant promise for advancements in QC, encryption, optics, and other areas, thereby enhancing the competitive edge of enterprises and nations [2]. The advancement of QC necessitates research and development expenditures to foster new scientific breakthroughs and experiential learning to establish a comprehensive and operational QC founded on efficient technological systems, dependable infrastructures on earth, and proficient human resources, thereby facilitating diverse market usages [8]. Although a wealth of literature exists in these research domains, the progression of quantum science that fosters groundbreaking inventions remains obscure, mainly [11]. This study addresses the issue by conducting a computational analysis of materials from 2000 to 2025 to elucidate the framework and development of quantum research, which influences technological and scientific paths with ramifications for financial, commercial, business, and social transformation [6]. This study examines the scientific dimensions of identifying upcoming quantum innovations that provide significant competitive advantages for organizations and governments in addressing complex challenges and fulfilling societal requirements [3]. The subsequent section introduces an empirical framework to elucidate how the maps of knowledge that the research will develop can account for the development of novel innovations throughout time [4] [10].

2. Theoretical framework

Academics assert that technological growth increasingly relies on the interplay between techniques and scientific disciplines, which creates co-evolutionary routes for new technological paths [12]. The advancement of technologies is propelled by science, which is frequently perceived as a self-organizing system characterized by diverse scientific transformations and exchanges within and among the scholarly community. Scientific progress, which drives technological advancement, can be examined through publications that serve as a primary unit of study to illustrate the organization and evolution of the research and technology ecosystem over time. In this regard, the study has

Copyright © Shobhit Goyal et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

created a comprehensive map of all journals, showing the degree of centrality to elucidate the citation landscape provided by select journals with citation levels exceeding a specific threshold.
The study proposes a citation-based methodology to discover groundbreaking scientific papers that propel advancements in research [5]. Examine the precision of scientific mapping by employing eight distinct inter-citation and co-citation similarity criteria. The study identifies a superior relatedness metric for mapping research since determining the level of relatedness among bibliometric entities (e.g., journals, terms, etc.) is essential for understanding the organization and development of scientific disciplines. Relatedness measurements illustrate the relationship among map information components [13]. Studies demonstrate that significant and minor scientific domains are frequently organized in center-periphery patterns. Small contends that the interconnectedness of documents and disciplines can reveal interdisciplinary domains and facilitate the exploration of expansive knowledge paths and novel technology trajectories. A study indicates that scientific maps can delineate principal research domains and nascent methods, illustrating their magnitude and interrelations. These findings can inform companies' Research and Development (R&D) expenditures and creative strategies to enhance their competitive edge in volatile marketplaces [7]. As expected, the progression of new technologies is linked to fundamental scientific advancement and transformation. Research indicates that innovations provide novel prospects for national competitiveness. Numerous methodologies have been established in scientometrics to identify and examine emerging fields in technological advancement [14]. These approaches rely on extensive datasets and innovative computer techniques utilizing intricate indications to identify emerging technical paths and pathways in science through publication and/or patent information.
In contrast to patents, quantitative methodologies utilizing journal bibliometric statistics can detect information on breakthroughs early in their technological advancement. Studies indicate that the highest volume of papers in QC within astrophysics, physics, and computational science can bolster primary technical paths [9]. Scientific research regarding the evolutionary pathways of quantum studies linked to emerging technologies is limited. This research aims to develop and examine an overview of the quantum field over 30 years to identify several phases of its makeup and development alongside developing technological pathways in technological development, science, and culture [15]. The following section outlines the approach employed to achieve the objectives of this research.

3. Materials and methods

3.1. Data collection and sample

The research utilized the Web of Science (WOS) core collections database to retrieve articles about QC. The research queried "QC*" within the article subjects to gather the most pertinent publications in the study domain. The outcomes were restricted to document type = ("Articles"), language = ("English"), and WOS indicators = ("Science Research Indexing Enhanced") to obtain pertinent data. The data pertains to the period from 2000 to 2025. The sample comprises 14.5k items categorized into three periods: 2000-2010, 2010-2020, and 2020-2025.

3.2. Data processing and interpretation

Initially, the research utilized the original Direct Elements (DEs) phrases to identify QC-related technologies. Within the specialized tags of WOS, "DE" pertains to the words and can facilitate the construction of a keyword co-occurrence graph. The WOS offers additional keywords associated with the keywords assigned to the documents. Therefore, this article analyzes the DEs of publications submitted by authors to identify QC methods and establish a network of connections among units. In addition, the research has performed data cleansing for network construction. The research retained solely the essential sentences associated with "quantum." The research consolidated all synonymous keywords expressed in various buildings, including abbreviations, plural and singular shapes, and combined gerunds and noun shapes, treating them as a single entity. The research removed the solitary node that lacked links to other nodes in the graph.

3.3. Development and examination of networks

The research constructed co-occurrence systems using the SCI2 program. It loaded them as GraphMI format files into the Gephi program to visualize and analyze the systems corresponding to every study. The architecture of networks is founded on vertices and connections. Each node signifies subtopics pertinent to QC technology and research regarding co-occurrence systems. An edge signifies a connection between two phrases when they co-occur on the same page. The depth of every edge signifies the frequency of a specific node's co-occurrence with other nodes that are linked in papers; for instance, if the edge connecting nodes P and Q is more significant than that connecting nodes P and R, then the interaction regularity among nodes P and Q surpasses that among nodes P and R. The SCI2 Tool is utilized to compute metrics of these systems, including Degree Centralization (DC), Betweenness Centralization (BC), and Closeness Centralization (CC), to investigate the changes in the evolution of various nodes within the system as time progresses.

- DC is an index defined as the number of connections to a node. DC denotes the number of links (connectivity) within a system of keywords.
- BC signifies the degree of control or influence a node exerts over the flow between nodes and networks, akin to a bridge. This index indicates a node's significance in facilitating connections among other network nodes and is essential for maintaining network integration. The research instituted BC methods to demonstrate the bridge nodes that enable the connection of entities.
- A node's CC serves as a metric of network location, which is the number of links necessary for linking every node to all the others in the system, or the mean amount of links needed to access all other node locations from a specific node within the system. These indices offer a thorough examination for comparing the developmental trajectories of systems in quantum studies and their corresponding attributes.

4. Quantum and combinatorics

Combinatorics issues inquire, "In how many ways can this set of objects be paired?" Such questions ask about the feasibility of specific combinations or determine which combinations of items are optimal according to a particular metric. In several instances, the quantity of activities necessary to address these inquiries—such as enumerating all potential combinations—escalates exponentially with the increase in the number of objects. This renders the search for the solution extremely arduous.

QC holds an opportunity to significantly decrease the time required to tackle such issues by employing methods that leverage quantum phenomena. Not all combinatorial problems necessitate QC. Specific combinatorial issues are very straightforward for humans and traditional computers and sufficiently massive and coherent QC to resolve (e.g., evaluating each pair of permutations). Some combinatorial problems pose significant challenges for human solvers, yet are quickly addressed by traditional computers and sufficiently massive, coherent QC (e.g., attempting every combination on a gym lock). There is no advantage in employing a QC to address either of these issue types, as they can be effectively resolved using current traditional computers, which exhibit fewer limitations than QC.

A category of combinatorial problems poses significant challenges for traditional computers, yet is very straightforward for sufficiently massive and coherent QC to resolve. These difficulties exemplify areas where QC is advantageous; hence, they constitute the focal point of the discourse.

A category of combinatorial problems that proves excessively difficult for any sufficiently advanced and cohesive QC to solve promptly. Although these difficulties are not the primary emphasis, they remain significant to comprehend, as they delineate limits even QC cannot address. Quantum machines lack the size and reliability necessary to outperform conventional machines in solving practical tasks, despite Google's recent demonstration of quantitative "supremacy" on an intricate but impractical issue. The investigation reveals numerous fundamental and technological hurdles confronting quantum hardware producers. Sufficiently large and trustworthy QC becomes accessible, they will perform diverse computations, particularly excelling in domains where traditional computers encounter difficulties, such as large-scale combinatorial issues.

5. Discussions

5.1. Theoretical applications

This section concludes with a preliminary assessment of the resources required for the suggested applications. In static computations, the research focuses on ground state characteristics as the primary objective, such as phase organization characteristics that do not necessitate great precision. Similarly to quantum electrodynamics, the research is focused on the qualitative characteristics of scattering fragments, such as entanglement generation. The study will focus solely on the number of qubits and levels necessary for simulating pertinent physical issues that align with the limitations of the noise hardware available in the near term. The research will refrain from discussing the desired precision of the results (the outcomes must be subjectively accurate and consistent with the most established conventional assumptions) or the time required to execute the methods, which is constrained by machine performance to a maximum of several hours.

Table 1: Cutting Edge Results

Methods	Physical dimension	Number of qubits	Number of gate layers
(2+1) gates	4 x 4/8 x 8	30 / 150	12 / 100
(1+1) gates	12 / 20	30 / 100	24 / 100
Collective oscillations	10 / 40	10 / 50	32 / 100

Table 1 presents initial resource projections, precisely the number of qubits and the amount of gate covers required to implement the three chosen topics addressed in this subsection on a near-term quantum gadget suitable for the utility-scale tests aimed at in this study, namely hardware comprising approximately 100 qubits with the capacity of performing multiple thousand two-qubit gate activities. The results are derived from cutting-edge computations conducted recently by the researchers or other group participants. The measurements of the structures were determined by the constraints of the number of accessible qubits and the most petite sizes required to derive significant physical discoveries. The necessary amount of qubits and gates qualified for executing these minimal configurations on a quantum record were derived from recent research, whereas the figures provided for the more prominent applications (the highest point values) depend on realistic projections informed by these "least size" computations and theoretical investigations.

5.2. Empirical implementations

Due to the challenges in forecasting trainability, integration, and the caliber of the outcomes for methods, the research presents in Table 2 an overview of the scale of physical structures that could be examined by the various uses, considering an optimal scenario for the data-embedding circuits. The research presumes linear scalability for the programming circuit length via angle (or dense degree) encryption.

Table 2: Empirical Results

Applications	Features	Number of qubits	Circuit depth	F_{100}(projected)
Anomaly identification	16	16	35	300
Detection	8	10	18	100
Event generation	16	5	6	200
Event analysis	4	7	1	200
Tracking	3	6	8	100

No conclusions on the ability to learn of a system like this can be drawn. The potential to deploy such devices at the 100-qubit scale could provide substantial knowledge of algorithms' influence in the forthcoming years. For instance, an anomaly-identification problem, like the Higgs evaluation discussed, might be executed by omitting the traditional data-compression phase (presently reliant on a conventional autoencoder): the quantum circuit could right away evaluate the unprocessed characteristics without introducing any intermediate bias or data loss. Recent research demonstrated the significant influence that the data-compression phase can exert on the accuracy of classifiers. In computational modeling for detector simulations and event generations, access to approximately 100 qubits will produce two-dimensional detector pictures while still constrained in size. Conversely, an event generation proficient in producing several aspects could be utilized to create a full jet and analyze its foundations. Given trainability and integration, pattern recognition applications will likely demonstrate the most significant benefits. The capacity to incorporate numerous features (spatial points for particle trajectory rebuilding or fragments for jet rebuilding and identifying) would facilitate the elimination of the iterative method employed by existing executions, thereby permitting the reconstruction of substantial event portions in just one phase.

6. Conclusion

Millions of dollars are currently being invested in QC. The most significant potential of such computers resides in addressing extensive combinatorial issues. QC is set to enhance the efficiency and cost-effectiveness of addressing large-scale combinatorial problems. The examples in cybersecurity, chemistry, financial services, and modern manufacturing indicate that these issues are prevalent across various industries. The initial step in evaluating potential prospects inside any sector is identifying combinatorial challenges that could yield significant value if resolved.

The research has underscored that QC is not currently accessible at the requisite level of power and dependability for addressing these types of challenges. The study identified three imminent commercial prospects arising from recent developments in QC and programs: (1) QC-safe cryptography on traditional computers, (2) materials and drug development, and (3) novel QC-inspired techniques for traditional computers.

Before finalizing, it is essential to acknowledge that the prospective applications do not encompass the business possibilities that capitalize on recent advancements in engineering regarding QC processes. QC sensors and communication are nascent technologies with significant economic prospects. The research has not addressed companies dedicated to developing the QC environment, which offers enhanced encryption for customers using QC-based computers through the cloud. The research has yet to address firms developing novel QC computing technologies.

This research uses QC technology for complex management and company problems arising from combinatorial challenges. A considerable amount of research remains uninformed. The QC devices, anticipated to be accessible quickly, demonstrate utility for yet-to-be-explored applications. Based on existing understanding, if QC demonstrates utility, it will be for businesses and other entities that recognize high-value combinatorial issues that traditional machines cannot efficiently resolve.

References

[1] Gill, S. S., Kumar, A., Singh, H., Singh, M., Kaur, K., Usman, M., & Buyya, R. (2022). Quantum computing: A taxonomy, systematic review, and future directions. *Software: Practice and Experience, 52*(1), 66-114. https://doi.org/10.1002/spe.3039.

[2] Rahman, S., & Begum, A. (2024). Applied Mechanics for Mechanical Engineers: Principles and Applications. *Association Journal of Interdisciplinary Technics in Engineering Mechanics, 2*(1), 13-18.

[3] Purohit, A., Kaur, M., Seskir, Z. C., Posner, M. T., & Venegas-Gomez, A. (2024). Building a quantum-ready ecosystem. *IET Quantum Communication, 5*(1), 1-18. https://doi.org/10.1049/qtc2.12072.

[4] Sivakumar, R., & Duraisamy, S. (2015). Designing a Novel Framework of Load Balancing Cluster with Target Coverage Problem and Trust Evaluation for Military Wireless Sensor Networks. *International Journal of Advances in Engineering and Emerging Technology, 6*(4), 103–120.

[5] Ali, W., Ashour, H., & Murshid, N. (2025). Photonic integrated circuits: Key concepts and applications. Progress in Electronics and Communication Engineering, 2(2), 1–9.

[6] Madhanraj. (2025). Blockchain-Assisted Peer-to-Peer EV Energy Trading in Vehicle-to-Grid Networks.National Journal of Intelligent Power Systems and Technology, 1(1), 48-56.

[7] Gholampour, S., Lim, W. M., Lund, B. D., Noruzi, A., Elahi, A., Saboury, A. A., ... & Gholampour, B. (2024). Does social media contribute to research impact? An Altmetric study of highly-cited marketing research. *Total Quality Management & Business Excellence, 35*(13-14), 1671-1701. https://doi.org/10.1080/14783363.2024.2393339.

[8] Palash, P. S., & Dhurvey, P. (2024). Analysis of Flyash Aggregate Behavior in Geopolymer Concrete Beams Using Method of Initial Functions (Mathematical Programming). *Archives for Technical Sciences, 2*(31), 168–174. https://doi.org/10.70102/afts.2024.1631.168.

[9] Kurbanazarova, N., Shavkidinova, D., Khaydarov, M., Mukhitdinova, N., Khudoymurodova, K., Toshniyozova, D., Karimov, N., & Alimova, R. (2024). Development of Speech Recognition in Wireless Mobile Networks for An Intelligent Learning System in Language Education. *Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications, 15*(3), 298-311. https://doi.org/10.58346/JOWUA.2024.I3.020.

[10] Sánchez-Ancajima, R. A., Peres, S. M., López-Céspedes, J. A., Saly-Rosas-solano, J. L., Hernández, R. M., & Saavedra-López, M. A. (2022). Gesture Phase Segmentation Dataset: An Extension for Development of Gesture Analysis Models. *Journal of Internet Services and Information Security, 12*(4), 139-155. https://doi.org/10.58346/JISIS.2022.I4.010.

[11] Ullah, M. H., Eskandarpour, R., Zheng, H., & Khodaei, A. (2022). Quantum computing for innovative grid applications. *IET Generation, Transmission & Distribution, 16*(21), 4239-4257. https://doi.org/10.1049/gtd2.12602.

[12] Tsai, X., & Jing, L. (2025). Hardware-based security for embedded systems: Protection against modern threats. Journal of Integrated VLSI, Embedded and Computing Technologies, 2(2), 9–17.

[13] Sathish Kumar, T. M. (2023). Wearable sensors for flexible health monitoring and IoT. National Journal of RF Engineering and Wireless Communication, 1(1), 10-22.

[14] Luo, T., Zhang, Y., Zheng, M., Zheng, S., & Gong, Y. (2024). Can science and technology resources co-evolve with high-tech industries? Empirical evidence from China. *Technological Forecasting and Social Change, 208,* 123665. https://doi.org/10.1016/j.techfore.2024.123665.

[15] Hickmann, E., Richter, P., & Schlieter, H. (2022). All together now–patient engagement, patient empowerment, and associated terms in personal healthcare. *BMC health services research*, *22*(1), 1116. https://doi.org/10.1186/s12913-022-08501-5.

[16] Zamani, M., Yalcin, H., Naeini, A. B., Zeba, G., & Daim, T. U. (2022). Developing metrics for emerging technologies: identification and assessment. *Technological forecasting and social change*, *176*, 121456. https://doi.org/10.1016/j.techfore.2021.121456.

[17] Bauer, F., Hansen, T., & Nilsson, L. J. (2022). Assessing the feasibility of archetypal transition pathways towards carbon neutrality–A comparative analysis of European industries. *Resources, Conservation and Recycling*, *177*, 106015. https://doi.org/10.1016/j.resconrec.2021.106015.

[18] Bodapati, J., Sudahkar, O., & Karthik Raju, A. G. V. (2022). An Improved Design of Low-Power High-Speed Accuracy Scalable Approximate Multiplier. Journal of VLSI Circuits and Systems, 4(1), 7–11. https://doi.org/10.31838/jvcs/04.01.02.