International Journal of Engineering & Technology, 7 (2.7) (2018) 37-40

International Journal of Engineering & Technology

Website: www.sciencepubco.com/index.php/IJET

Research Paper

User behavior analysis on agriculture mining system

S. Sridevi[1]*, M.Bindu Prathyusha[2], P.V.S.J.Krishna Teja[3]

[1]*Dept Of Electronics and Computer Science Engineering, KLEF, Vaddeswaram.*

[2]*Dept Of Electronics and Computer Science Engineering, KLEF, Vaddeswaram.*

[3]*Dept of Electronics and Computer Science Engineering, KLEF, Vaddeswaram*

**Email: bindhumulpuri@gmail.com*

Abstract

India being a horticulture nation yet utilizing conventional methods in agriculture. Right now suggestions for farmers depend upon the coordination among farmers and distinctive specialists. Proposed suggestions generally given to them by using past farming exercises with help of their knowledge and experience to give advanced outcomes. The proposed idea is the utilization of mining techniques in agriculture to give best suggestions to farmers for crops, crop rotation, prices of crops, quality of seeds and recognizable proofs of needed fertilizer. The system can be utilized by farmers as an application both on web and mobile. It is an advanced cultivating method that utilizes investigate information of soil qualities, soil types, crop yield information gathering and recommends the farmers to quality harvest in light of their site specific parameters. This diminishes the wrong decision on a harvest and increase in efficiency. With the progress of this rural modernization, agriculture site was progressively turning into a noteworthy instrument for farmers getting data about existence and generation. Step by step instructions to make the examination of the requirements of farmers viable to help them to discover the data assets of the Internet they were occupied with had turned into a dire and vital issue. It was vital hugeness in enhancing the structure and substance of agribusiness site, which could give better administrations to farmers and also enhance the level of modernization of horticultural generation**.**

Keywords: *Agriculture; Cluster Analysis; Data mining; Statistical Analysis; User behavior; Weblog..*

1. Introduction

Farming field is the foundation of any nation. Farming supplies the sustenance and crude materials to the general population in nation. It is the main pay wellspring of numerous people groups. People groups who has a place with farming field faces numerous issues, for example, diminishing generation because of inadmissible climatic changes, surge, lack and numerous other normal reasons and once in a while factors. They can't do horticulture because of this reasons. We can utilize Information Technology (IT) to defeat this issues. In the present life, Information Technology is utilized as a part of each field around the world. The Data Mining is a piece of IT which we can use to settle agribusiness issues said above. The essential thought of the Data Mining is that it creates helpful data by extracting from expansive datasets. To be more precise, it is a method of extracting valuable data from huge measure of information. It is the act of naturally seeking extensive stores of information to find affiliations and patterns that go past straightforward examination.

Indian government must put resources into agriculture sector, in R&D, in water system, and responsive systems to give answers to farmers' questions. In horticulture, procedures are forwarding from ages and hence we have a rich accumulation of past information which can utilized for proposal. Agriculture mining methods and calculations can be utilized for suggesting single harvest and example of yields for trim pivot. However to get advanced and legitimate outcomes framework that should be in nonstop realizing which is possible by including most recent datasets in the framework. The Architecture of the framework is Multitier/N-Tier which is a client– server model. In this model introduction, application preparing, and information administration capacities are physically isolated. The Data Tier comprises of databases which comprises of information of past horticultural action, Market costs, Composts and so on. The Business Tier comprises of Servlet modules which comprise of all the business rationale for the framework which are facilitated on a different application server. The Presentation Tier comprises of view situated API resembles Google Translate and I text-Pdf for introduction to clients and the Client Tier comprises of clients with program customers for framework to get accessed.




Fig.1: Architecture of a System in Knowledge mining

Copyright © 2018 Authors. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Agriculture mining is the computational preparation of finding designs in expansive information sets including strategies at the intersection of counterfeit insights, database frameworks. The by and large objective of the Agriculture mining handle is to extract information from an information data set in agriculture and change it into an justifiable structure for advance utilize of the betterment of the agricultural farming. The real Agriculture mining task is the programmed or semi-automatic investigation of huge amounts of information to extricate already obscure interesting patterns such as bunches of information records (cluster examination), odd records (inconsistency discovery) and dependencies (association rule). A soil test is the investigation of a soil test to decide supplement substance, composition and other characteristics. Tests are ordinarily performed to degree ripeness and show insufficiencies that require to be remedied. The soil testing research facilities are given with reasonable specialized writing on different perspectives of soil testing, counting testing strategies and definitions of fertilizer recommendation.

1.1. User Behavior Information Mining

After information of web log handling, a substantial number of repetitive data was sifted through and the valuable data could be mined to get the data conduct of arrange clients. Client data conduct is an idea of decent variety, on one hand, just when data was helpful to clients, had the data presence esteem; then again, clients couldn't do anything without data. It was implying that data and clients depended on each other. Consequently, we can confirm that amid the procedure of clients' data practices, clients could retain certain data and make data related to it. Data was given new life amid the procedure. By and large, the client's data conduct was controlled by an assortment of attributes of the client, for example, the client's learning structure, conduct, and so on. In this paper, we additionally centered around the requirement for enhance the farmers site effectiveness with the strategy for examination rural arrange client's data conduct. So attributes we browsed the web log information mining in this examination were as per the following: navigate of a page, clients' movement, the see number of pages, voyaging time of clients, get to term, organize activity, the visit number of a single page etc.

2. Literature Review

The paper [1] states the necessities and arrangements needed for creating a computer program show for accuracy cultivating is discussed. It profoundly examines the essentials of precision farming. The author’s begin from the essentials of precision farming and move towards creating a show that would support it.. The comprehensive objective of the model is to convey co-ordinate counselling administrations to indeed the mini rancher at the strength of his/her littlest frame of crop, by open innovations such as SMS and email. This show has been outlined for the situation in Kerala State where the normal holding estimate is much lower than most of India. Thus this demonstrates can be deployed elsewhere in India as it were with minor adjustments. The paper [2] makes a comparative consider of classification algorithms and their execution in abdicate expectation in precision agriculture. These calculations are actualized in a information set collected for a few a long time in surrender forecast on soya bean crop. The calculations utilized for abdicate expectation in this paper are Vector Machine, Random Forest Neural Network, REP Tree, Bagging, and Bayes.

The paper [4] states the utilization of rural information with data mining and visual information mining methods are delineated. This paper decreases the tall dimensional agrarian information to smaller estimate to secure valuable information related to yield, input application(like fertilizers).The strategies utilized is Self-organizing maps and multi-dimensional scaling techniques (Sammson’s mapping) to decrease the information. The conclusion determined is that Self-organizing maps is suitable when dataset is expansive and Sammon’s mapping is suitable when information set is little. The paper[5] proposes the utilization of information mining strategies to give suggestions to agriculturists to crops, trim turn what's more, distinguishing proof of proper manure. The outcomes from the proposal framework are streamlined as for parameter thought. In future work we will center to go in more smaller scale level of parameter thought for proposal which will bring about increment in productivity of the framework for e.g. thought of micronutrients in compost proposal and so on. Additionally we have wanted to turn this web application into entrance where all data about farming will be accessible in one single place. Data mining methods in paper [6] are utilized to gauge the crop yield for cereal crops. The methodology comprises of two parts specifically Clustering (for creating locale clusters) and Classification utilizing k-NN (K nearest neighbor), Direct Relapse, (ANN) artificial neural arrange in quick digger instrument. The exactness of prediction lies in the extend of 90-95. The data set included 5 natural variables, 3 biotic variables and 2 zone related components to choose the alter yield in distinctive areas. The paper proposed a future work of geospatial analysis to make strides precision.

The paper [7] points that in this computerized world every single division is experiencing a emotional change because of IT field. In any case, in horticulture field, till date very little work has been finished. Different information mining method's use in agrarian field will be a huge territory of research. The extreme objective is to expand the harvest yield of the farming field. he have proposed a framework with the assistance of Data mining strategies like Genetic Algorithm and Association administer mapping, which discovers the splendidly appropriate product recommendation for a rancher in view of soil condition, climate conditions and harvest subtle elements. The paper [8] proposes that he contemplated the order of clients on online interpersonal organizations and investigated existing strategies to dissect client conduct. Understanding the conduct of the client helps an association or an organization to grow more productive adaptation of the present framework and can be produced into another framework to better react to client necessity. Business organizations or sites can dissect cooperation’s on sites to suggest new items that address the issues of clients. Additionally, patterns of information streams advantage Internet benefit suppliers and online informal community suppliers to enhance the execution and plan legitimate assets to help clients in the season of the crowded. Likewise, understanding the conduct of clients can decide and help to distinguish noxious or on the other hand counterfeit records.

In this paper [9], the Web get to log was utilized as a question and we talked about the technique for concentrate the data conduct of clients of agrarian strategies with factual investigation and bunch examination. At that point we led tries different things with the Web get to log of the national agrarian logical server farm and dissected the example of data conduct of its client. With these outcomes, a few advices on this site were made for giving a superior support of farming clients and advancing rural generation also, inquire about. The soil datasets in paper [10] are analyzed and a category is anticipated. From the predicted soil category the edit surrender is recognized as a Classification rule. Naïve Bayes and k-Nearest Neighbor calculations are used for trim abdicate forecast.

3. Proposal of a Framework for System

The main objective of Framework for Agriculture Proposal is that, it is utilizing data mining techniques which are used to progress the generation of crops as well as to improve the financial conditions of farmers. At the same time using the accessible assets preferably and effectively in today's critical circumstance of normal assets like need of availability of sufficient water, power and corrupting quality of ripe land. The framework will be extracting databases for edit determination when farmer requires and firstly it sends that information to the user's computer and at that point the

message to agriculturist. The framework will mining the suitable trim for specific cultivate of a farmer and creates the results in client congruous arrange.

The framework will send SMS Cautions alarms to the farmers almost the crops appropriate for cultivate based on the mining result. It may contain one or more edit for determination but the need is given to as it were that crop which is more reasonable. So he can sow or plant these crops without stressing around generation of crops in field or climatic changes.

As per the qualities of users' data conduct, we could investigate the data conduct of a user to get a handle on the user's psychology research, which was an awesome critical for enhancing administrations impact of site. Not surprisingly, this investigation included two techniques:

1. Statistical analysis and
2. Cluster Analysis.

3.1. Statistical Analysis

The most usually strategy for examining users get to designs, which contemplated step by step instructions to quantify, watch, express and synopsis the number attributes of complaint. In this paper, we can process parameters, for example, as mean, maximum, minimum, and so forth, with a variety of data of users who went by agricultural website to gauge the conduct data example of users. To a few attributes that were difficult to see from information, we utilized illustrations helped technique for investigation, for example, Scatter plots, histograms, line charts, box diagrams to demonstrate pattern of changes instinctively. In the genuine investigation procedure of this entry, we processed the appropriation of site visits and site visits changed with the length of visit. These consequences of factual examination could decide objectivity of Agricultural topology guide and comfort of users' entrance to assets, which could helpful for enhancing structure of the site.

3.2. Cluster Analysis

This was an essential strategy for information dividing or bundle preparing. As of now, the group examination calculation could be separated into the strategy, the level of techniques, thickness based strategies, network based techniques and model-construct techniques thus with respect to. As there were a lot of information assets in Agriculture and the motivation behind users was definitely not clear (the significance of users couldn't be precisely communicated with numerical articulations) when they sought information in Agriculture, in this entry, we connected fuzzy set theory and the clustering method for breaking down users' data practices. This technique joined with both fuzzy set theory and the traditional clustering method. The guidelines of this approach was as per the following: to start with, the given protest was partitioned into various comparability classes with the method for fluffy equality connection, which was meaning that setting up fluffy comparative lattice to express similitude between each example. At that point, we clustered with these identicalness classes straightforwardly. Amid the procedure of particular usage, we bunched pages of a similar database users went by and respected these pages all in all for examination. To these pages, we could register a few parameters for example, navigate, get to length and route way, for examination and showing the users' data practices completely. Moreover, this strategy for examination could one-sidedness caused by reference to a single characteristic esteem.




Fig.2: Architecture for Weblog Analysis

4. Proposal System Architecture




Fig.3: Proposed System Architecture

4.1. Framework is based on the following steps

1. Users have to register in the system with his username, password, name, address, phone number, email to contact and also details of the land.
2. When user requires any details of the crop then he can explore the information that is suitable for his farming to sow.
3. He can also get the SMS alerts for his involvement in awareness campaigns, agricultural workshops on latest technologies and also about the climate and whether forecasting.
4. The system also gives the information about the diseases of crops and pesticides which can be used for the better yield production.
5. Based on the seasons, the system gives the list of crops which can be used for farming where individual varieties have different harvest times.

6. Further, by using the weblog analysis, we can come to know about the particular area that the user is navigating within the portal.
7. So that, we can give the better data as scrolling's, updates etc. to the users by analyzing the most visited activities in the website.

5. Conclusion

The paper proposes the utilization of mining procedures in agriculture to give proposals for crops, crop rotation, prices of crops, quality of seeds, and recognizable proof of needed fertilizers and also analyzing the behavior of user. The outcomes from the suggestion framework are improved as for parameter thought. Along these lines our work would help farmers in sowing the correct seed based on soil prerequisites to build efficiency and get benefit out of such a system. Subsequently the agriculturist's can plant the correct product expanding his yield and furthermore expanding the general efficiency of the country. In future work, we will focus to go in small scale parameter thought for suggestions which gives about the increment in proficiency of the framework. It is gone for an enhanced informational index with expansive number of characteristics and furthermore actualizes yield expectation. Additionally we have intended to turn this web application into portal, where all data about farming can be accessible in single site. In conclusion we can state that if consummate harvest suggestions are given to agriculturists it will expand the harvest yield and furthermore in building the financial status of rural ward nations.

References

[1] Satish Babu, "A Software Model Model for Precision Agriculture for Small and Marginal Farmers", at the International Centre for Free and Open Source Software (ICFOSS) Trivandrum, India, (2013).
[2] Anshal Savla, Parul Dhawan, Himtanaya Bhadada, Nivedita Israni, Alisha Mandholia, Sanya Bhardwaj, "Survey of classification algorithms for formulating yield prediction accuracy in precision agriculture", Innovations in Information Embedded and Communication systems(ICIIECS), (2015).
[3] Aakunuri Manjula, Dr.G.Narsimha, "XCYPF: A Flexible and Extensible Framework for Agricultural Crop Yield Prediction", Conference on Intelligent Systems and Control(ISCO), (2015).
[4] Yash Sanghvi, Harsh Gupta, Harnish Doshi, Divya Koli, Umang Gupta, "Comparison of Self Organizing Maps and Sammon's Mapping on agricultural datasets for precision agriculture", International Conference on Innovations in Information Embedded and Communication Systems (ICIIECS), (2015).
[5] Kiranshinde,Jerrin Andrei, Amey oke, "Web based recommendation system for farmers", (IJRITCC) (2015).
[6] A.T.M Shakil Ahamed, Navid Tanzeem Mahmood, Nazmul Hossain, Mohammad Tanzir Kabir, Kallal Das, Faridur Rahman Rashedur M Rahman, "Applying Data Mining Techniques to predict Annual Yield of Major Crops and Recommend Planting Different Crops in Different Districts in Bangladesh",(SNPD) IEEE/ACIS International Conference, (2015).
[7] Nilesh Dumbre,Omkar Chikane,Gitesh More, "System for agriculture recommendation using data mining"(IERJ) (2015).
[8] Sawita Yousukkee, "Survey of Analysis of user behaviour in online social network", (2016).
[9] Jian Wang, "Research on weblog analysis method in agriculture website improvement", (2011).
[10] Monali Paul, Santosh K Vishwakarma, Ashok Verma, "Analysis of Soil Behaviour and Prediction of Crop Yield using Data Mining Approach", International Conference on Computational Intelligence and Communication Networks, (2015).
[11] Bhuvana, Dr.C.Yamini, "Survey on Classification Algorithms in Data Mining", International Conference on Recent Advances in Engineering Science and Management, (2015).
[12] Roshani Ade, P.R.Deshmukh, "Efficient Knowledge Transformation System Using Pair of Classifiers for Prediction of Students Career Choice", International Conference on Information and Communication Technologies (ICICT), (2014).
[13] Ahmed Hamza Osman, Naomie Salim, "An improvised semantic plagiarism detection scheme based on Chi-squared automatic interaction detection" .Computing,Electrical and Electronics Engineering(ICCEEE) International Conference, (2013).
[14] Saso Karaka tic, MarjanHericko, Vili Podgorelec, "Weighting and sampling data for individual classifiers and bagging with genetic algorithms" International Joint Conference and Computational Intelligence(IJCCI), (2015).
[15] Yue Zhang, Jianxia Chen, Oin Fang, Zhiwei Ye, "Fault analysis and Prediction of transmission line based on Fuzzy K Nearest Neighbour algorithm", International Conference on Natural Computation, Fuzzy systems and Knowledge discovery(ICNCFSKD), (2016).