

A Novel Approach for Prediction of Heart Disease: Machine Learning Techniques

V. Srinivas¹, K. Aditya², G. Prasanth³, R.G. Babukarthik⁴, S. Satheeshkumar⁵, G. Sambasivam⁶

^{1,2,3,6}Department of Computer Science and Engineering, KL University, Andhra Pradesh, India

^{4,5}Department of Computer Application, Bharathiar University, Tamil Nadu, India

*Corresponding author E-mail: srinivasvallabhaneni111@gmail.com

Abstract

Heart disease and machine learning are the two different words where one is related to medical field and another one to artificial intelligence. In medical field most of them are facing the problems with the heart disease and machine learning is developing area in computer science. Heart disease is general called cardiac disease where it gives the more data or information, it is to be collected to give the reports for the patients and the machine learning also requires the data for predicting and to solve the problems. Machine learning techniques are used in prediction of heart diseases where it gives the faster prediction with less computation time and better accuracy to progress their health. Heart disease prediction requires lot of data for predicting and in cloud computing also we have more data and the data available in cloud it is difficult to analyze. So we use machine learning algorithms or techniques to predict or analyze the data that is available in cloud. In this paper we are going to use machine learning algorithms called Backpropagation Algorithm and later we use optimization algorithm later. Backpropagation algorithm deals with the artificial neural networks. Backpropagation is a method used to calculate the error contribution of each neuron after a batch of data (in image recognition, multiple images) is processed. This is used by an enveloping optimization algorithm to adjust the weight of each neuron, completing the learning process for that case. Machine learning algorithms and techniques are used for recognize the intensity of risk issues in humans and it helps the patients to take safety measures in well advances to save the patient's life.

Keywords: Machine learning, Cloud computing, Cardiac, Backpropagation, Optimization

1. Introduction

From last 100 years many of them are facing heart disease problems in their life. Heart disease is also called as cardiovascular disease (CVD) the disease is mainly involve the heart or blood vessels. Cardiovascular disease is commonly known as heart attack and it involves all other heart diseases like stroke, heart failure etc. Heart disease is mainly because of high blood pressure, smoking diabetes, alcohol consumption, lack of exercises to the body. Heart disease results more in high blood pressure it is 13% tobacco results in 9%, diabetes results in 6%, lack of exercises results in 6%. Heart disease are leading to cause of death as results made in 2015 more over 17million died because of heart disease where it was 12million in 1990s this show the increase in the death rate due to heart diseases. Heart failure and stroke count 80% of deaths in male and 75% in females. Genetic says age group between 45-50 years in male and 60-65 in females are mostly affected among all other ages. There are many types of Heart diseases namely Coronary Artery Disease, Angina, Heart Attack, Heart Failure, High blood pressure, Cardiac Arrest, Arrhythmia, Peripheral Artery Disease. Cardiovascular disease can be prevented by doing regular exercises to the body, don't use tobacco or smoke by second hand, eat healthy food daily and don't drink of alcohol these are the general precautions that should be taken to prevent Cardiovascular disease and there are many other treatments also to cure the some of heart diseases.

2. Proposed Work

Cardiovascular disease is predicted using machine learning techniques we used 14 attributes of data for prediction. We consider the input data set as the number of patients and output will be known as weight. In this we use back propagation algorithm for the prediction of heart disease. Back propagation is method used for artificial neural networks to calculate error distribution in each neuron. This is used by an enveloping optimization algorithm to adjust the weight of each neuron, completing the learning process. The optimization algorithm repeats a two phase cycle, propagation and weight update. When an input vector is presented to the network [24-30], it is propagated forward through the network, layer by layer, until it reaches the output layer. The output of the network is then compared to the desired output, using a loss function. The resulting error value is calculated for each of the neurons in the output layer. The error values are then propagated from the output back through the network, until each neuron has an associated error value that reflects its contribution to the original output. In this algorithm we have mainly various steps as shown in figure 1.




Figure 1 Stages of Coronary Heart Disease Prediction

Algorithm Heart Disease Prediction

Step 1: Initialize network

Input all the 14 parameters.

Step 2: Forward propagate

- layer size = 16;
- Normalize the value
- neuron activation
- Activate all the neuron
- neuron transfer
- Transfer all the neuron
- forward propagation
- Apply forward propagation techniques

Step 3: Backward propagate error

Apply backward propagation techniques

Identify the error associated with it

Step 4: Train network

Train all the neuron associated

Step 5: Predict

The algorithm states that prediction of heart disease, the first step is the initialization of the parameter involved in prediction of heart disease such as all the 14 parameter is initialized, then normalization of all the input parameter is taken place as all the input are in the various parameter (units) common measured unit need to be stated thus normalization of all the parameter is taken place. The step 2 involves the neuron activation, transfer of neuron; forward propagation techniques are all applied. Step 3 states the applying of backward propagate techniques and then identifying the error associated with it, step 4 states the training of the neural network and step 5 states the prediction of coronary heart diseases.

4. Experimental Evaluation and Analysis

The experiment is performed using the matlab 2107b using the machine learning tool box and the heart disease is taken from the standard data set (UC Irvine machine learning storage repository, among the four available dataset Long Beach VA, Cleveland, Hungary and Switzerland is taken. Health care is extremely producing volume of data that need to be mined. The 14 attributes of data for the prediction of heart disease is used they are: Age, Gender (male =0, female =1), Chest pain type(CP), Trestbps(testing blood pressure), Chol(serum cholesterol in mg/dl), Fbs(fasting blood sugar), Restecg(testing electrocardiographic results), Thalach(maximum heart rate achieved), Exang(exercise induced angina), Old peak(ST depression induced by exercise related to rest), Slope(the peak exercise ST segment), Ca(number of major vessels), Thal and Num(diagnosis of heart disease). Using these attributes heart disease prediction is identified based gender and the angina.

The figure 2 shows the patient who are all affected by the CHD based on the sex ratio thus 58.62% of male is affected by disease where as 41.37% are not affected by the disease, in case of female affected is 29.85% and not affected 70.14% with disease. The figure 3 show the number of person affected by CHD with respect to angina thus, 23.07 percent as got affected by typical angina and 82.35 is not affected by the disease. In terms of Non angina 25% is affected by disease and 75 % is not affected by the disease in

regards to asymptomatic angina 71.15% is affected by CHD where as 28.84 is not affected by disease.




Figure 2. Prediction Disease based on sex




Figure 3. Prediction Disease based on angina

5. Conclusion

Machine learning techniques are used for predicting much need information in decision making process with very high accuracy this technique process the data more faster and the time taken for prediction is also considerably minimum. Symptoms of heart disease in your blood vessels (atherosclerotic disease) Cardiovascular disease symptoms may be different for men and women. When an input vector is presented to the network, it is propagated forward through the network, layer by layer, until it reaches the output layer. The output of the network is then compared to the desired output, using a loss function. The 14 attributes of data for the prediction of heart disease is used, patients who are all affected by the CHD based on the sex ratio is predicted and person affected by CHD with respect to angina is also predicted. In future we plan to apply this technique for brain tumor prediction.

References

- [1] Stephanie MW, John LJ. New genetic insights into congenital heart disease. J Clin Exp Cardiol 2012; 15(S8):003.
- [2] Pierpont ME, Basson CT, Benson Jr DW, Gelb BD, Giglia TM, Goldmuntz E, et al. Genetic basis for congenital heart defects: current knowledge: a scientific statement from the American Heart Association Congenital Cardiac Defects Committee, Council on Cardiovascular Disease in the Young. Circulation 2007;115:3015–38 .
- [3] Jenkins KJ, Correa A, Feinstein JA, Botto L, Britt AE, Daniels SR, et al. Noninherited risk factors and congenital cardiovascular defects. Circulation 2007;115:2995–3014.
- [4] Botto LD, Mulinare J, Erickson JD. Do multivitamin or folic acid supplements reduce the risk for congenital heart defects? Evidence and gaps. Am J Med Genet 2003;121A:95–101 .
- [5] Bailey LB, Berry RJ. Folic acid supplementation and the occurrence of congenital heart defects, orofacial clefts, multiple births, and miscarriage. Am J Clin Nutr 2005;81:1213S–7S .
- [6] Shaw GM, O'Malley CD, Wasserman CR, Tolarova MM, Lammer EJ. Maternal periconceptional use of multivitamins and reduce risk for conotruncal heart defects and limb deficiencies among offspring. Am J Med Genet 1995;59:536–45 .

- [7] Hernandez-Diaz S, Werler MM, Walker AM, Mitchell AA. Folic acid antagonists during pregnancy and the risk of birth defects. *N Engl J Med* 2000;343:1608–14 .
- [8] Hobbs CA, Cleves MA, Melnyk S, Zhao W, James SJ. Congenital heart defects and abnormal maternal biomarkers methionine and homocysteine metabolism. *Am J Clin Nutr* 2005;81:147–53.
- [9] Li Y, Wu X, Xu J, Qian Y, Zhou C, Wang B. Apo A5 21131T/C, FgB 2455G/A, 2148C/T, and CETP TaqIB gene polymorphisms and coronary artery disease in the Chinese population: a meta-analysis of 15,055 subjects. *Mol Biol Rep* 2013;2013(40):1997–2014 .
- [10] Gu L, Liu W, Yan Y, Su L, Wu G, Liang B, et al. Influence of the b-fibrinogen 455G/A polymorphism on development of ischemic stroke and coronary heart disease. *Thrombosis Res* 2014;2014(133):993–1005 .
- [11] Shah PK. Risk factors in coronary artery disease. Boca Raton: Taylor & Francis Group; 2006.
- [12] Granato JE. Living with coronary heart disease: a guide for patients and families. Baltimore: The John Hopkins University Press; 2008 .
- [13] World Health Organization. Global burden of coronary heart disease. Geneva: World Health Organization; 2002 .
- [14] World Health Organization. Cardiovascular disease (CVDs). Geneva: World Health Organization; 2015.
- [15] Ohira T, Iso H. Cardiovascular disease epidemiology in Asia: an overview. *Circ J* 2013;77:1646–52.
- [16] Chatterjee K. Manual of coronary heart disease. New Delhi: Jaypee Brother Medical Publisher (P) Ltd; 2014 .
- [17] Folsom AR, Wu KK, Rosamond WD, Sharrett AR, Chambless LE. Prospective study of hemostatic factors and incidence of coronary heart disease: the Atherosclerosis Risk in Communities (ARIC) Study. *Circulation* 1997;96(4):1102–8 .
- [18] Salomaa V, Rasi V, Pekkanen J, Vahtera E, Jauhiainen M, Vartiainen E, et al. Haemostatic factors and prevalent coronary heart disease; The FINRISK haemostasis study. *Eur Heart J* 1994;15(10):1293–9.
- [19] Zhang Y, Zhu C, Guo Y, Xu R, Li S, Dong Q, et al. Higher fibrinogen level is independently linked with the presence and severity of new-onset coronary atherosclerosis among han chinese population. *PLoS One* 2014;9(11):e113460.
- [20] Meredith S, Parekh G, Towler J, Schouten J, Davis P, Griffiths H, et al. P87 – M apping nitro-tyrosine modifications in fibrinogen by mass spectrometry as a biomarker for inflammatory disease. *Free Radical Biol Med* 2014;75(1):S50.
- [21] Sørensen B, Larsen OH, Rea CJ, Tang M, Foley JH, Fenger-Eriksen C. Fibrinogen as a hemostatic agent. *Semin Thromb Hemost* 2012;38(3):268–73.
- [22] N. Moganarangan, R.G. Babukarthik, S. Bhuvanewari, M.S. Saleem Basha, P. Dhavachelvan” A Novel Algorithm for Reduction of Energy-consumption in Cloud Computing:Web service”, Elsevier-journal of king saudi university computer and information’s 28,55-67 (2016).
- [23] R.G. Babukarthik, J. Satheesh Kumar, J. Amudhavel, “Secure data storage and sharing in cloud: vm scheduling”, The IIOAB journal (A Journal of Multidisciplinary science and Technology) ISSN: 0976-3104 (Indexed in Emerging Sources Citation Index - Web of Science - Thomson Reuters)" vol:7(7),Pg.1-3.
- [24] “A novel encryption algorithm for end to end secured fiber optic communication”, (2017) International Journal of Pure and Applied Mathematics, 117 (19 Special Issue), pp. 269-275.
- [25] Amudhavel, J., Ilamathi, R., Moganarangan, N., Ravishankar, V., Baskaran, R., Premkumar, K., "Performance analysis in cloud auditing: An analysis of the state-of-the-art", (2015) International Journal of Applied Engineering Research, 10 (3), pp. 2043-2046.
- [26] Amudhavel, J., Inbavalli, P., Bhuvanewari, B., Anandaraj, B., Vengattaraman, T., Premkumar, K., "An effective analysis on harmony search optimization approaches", (2015) International Journal of Applied Engineering Research, 10 (3), pp. 2035-2038.
- [27] “Assessment on authentication mechanisms in distributed system: A case study”.
- [28] "Effects, challenges, opportunities and analysis on security based cloud resource virtualization", (2017) Journal of Advanced Research in Dynamical and Control Systems.
- [29] Haripriya, R., "Comprehensive analysis on information dissemination protocols in vehicular ad hoc networks", (2015) International Journal of Applied Engineering Research, 10 (3), pp. 2058-2061.
- [30] Amudhavel, J., "Recursive ant colony optimization routing in wireless mesh network", (2016) Advances in Intelligent Systems and Computing, 381, pp. 341-351.