International Journal of Engineering & Technology, 7 (4.5) (2018) 455-458

International Journal of Engineering & Technology

Website: www.sciencepubco.com/index.php/IJET

Research paper



A Literature Survey on Artificial Swarm Intelligence based Optimization Techniques

Mr. Gireesha. B[1]*

[1]Ph. D Scholar – E.C Dept., Central University of Karnataka - 585367
**Corresponding author E-mail:b.gireesha.ec@gmail.com , gireesha25@gmail.com*

Abstract

From few decades' optimizations techniques plays a key role in engineering and technological field applications. They are known for their behaviour pattern for solving modern engineering problems. Among various optimization techniques, heuristic and meta-heuristic algorithms proved to be efficient. In this paper, an effort is made to address techniques that are commonly used in engineering applications. This paper presents a basic overview of such optimization algorithms namely Artificial Bee Colony (ABC) Algorithm, Ant Colony Optimization (ACO) Algorithm, Fire-fly Algorithm (FFA) and Particle Swarm Optimization (PSO) is presented and also the most suitable fitness functions and its numerical expressions have discussed.

Keywords: *Optimizations Techniques (OT), Artificial Intelligence, Artificial Bee Colony (ABC) Algorithm, Particle Swarm Optimization (PSO), Ant Colony Optimization (ACO), Firefly Algorithm (FFA), Fitness functions.*

1. Introduction

The term optimization can be defined as, "the selection of a best element with regard to some criterion from some set of available alternatives". In general, an optimization problem consists of maximizing or minimizing a real function by systematically choosing input values from within an allowed set and computing the value of the function [1],[2].
In engineering applications existence of multiple solutions lead to ambiguity in decision making. To overcome this choosing of best solution with respect to constraints is required. This can be done by either minimizing or maximizing the objective function, which leads to the optimized solution.
Optimizations techniques find a broad range of applications in the field of science and engineering applications, such as robotics [3]-[5], artificial intelligence, machine learning, power systems[6], [7], navigation systems [8], communication systems [9], [10], state estimation, image processing [11]-[15], computer graphics, battery based energy systems, renewable energy based systems, mathematical modelling of systems, etc.
Optimization techniques can be classified in many ways. In a broad scope, they can be classified as standard optimization, heuristics and meta-heuristics. In engineering applications heuristics and meta-heuristic techniques play a major role in problem solving due to randomness in their nature. Mainly swarm intelligence techniques are considered in this work for their simplicity. Among them most widely used algorithms are Ant Colony Optimization (ACO), Particle Swarm Optimization (PSO), Artificial Bee Colony Optimization (ABC) and Fire-fly Algorithm (FFA) and these algorithms are discussed in the section. II

2. Optimization Techniques

This section deals with the most popular swarm intelligence optimization techniques which are used for the most of the engineering applications have been discussed.

2.1. Ant Colony Optimization

Ant Colony Optimization (ACO) or Ant System is a meta-heuristic algorithm developed by Marco Dorigo in 1991 by studying the behaviour of ants and their colonial nature [16]-[18]. The method by which ants find the best route from source to target is studied and developed an algorithm as shown in Fig.1. Various variants are proposed based on objective function and search criteria used. Variants include elitist ant system, max – min ant system, rank based ant system, etc [19]-[23]. Applications include travelling sales man problem, image processing, finding shortest route, economic load dispatch, etc [24], [25].

2.2. Particle Swarm Optimization

Particle swarm optimization (PSO) is a meta-heuristic algorithm developed by Dr. Eberhart, Dr. Kennedy in 1995 by studying the social behaviour of bird flocking or fish schooling [26], [27]. The method by which the bird flock find their way based on both individual and group's best direction is modelled and developed an algorithm shown in figure 2.
Various variants such as GA-PSO, EPSO, QPSO, BPSO, etc are proposed [29]. PSO can be applied for wide range of engineering problems such as industrial optimization, power system optimization, robotics, image processing, biometrics, weather forecasting, load forecasting, etc [28], [29].

Copyright © 2018 Authors. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

2.3. Artificial Bee Colony Optimization

Artificial Bee Colony (ABC) is a meta-heuristic algorithm developed by Karabogain 2005 by carefully studying the foraging behaviour of honey bees [30]. The algorithm of ABC is shown as flowchart in Fig.3. The ABC algorithm has variants such as enhanced bee's algorithm, modified bee's algorithm, grouped bee's algorithm, etc [31], [32]. ABC has wide range of applications in neural networks, industrial engineering, mechanical engineering, electrical engineering, electronics engineering, control engineering, civil engineering, image processing, data mining, etc [33].




Fig.1:. Ant Colony Optimization Flowchart




Fig.2:. Particle Swarm Optimization Optimization Flowchart

2.3. Fire Fly Algorithm

Fire-fly algorithm (FFA) is a meta-heuristic algorithm developed by Xin She Yang in 2008 by studying the flashing patterns and behaviour of fire-flies [34]. The algorithm is modelled as a flowchart shown in Fig.4. Firefly algorithm has various modified and hybrid variants such as elitist firefly algorithm, binary represented firefly algorithm, gaussian randomized firefly algorithm, levy flight randomized firefly algorithm, chaos randomized firefly algorithm, parallel firefly algorithm, etc [35]-[42]. Firefly algorithms are applied in every aspect of engineering to solve problems such as industrial optimization, image processing, antenna design, power system optimization, robotics etc [43]-[52].




Fig.3:. Artificial Bee Colony Flowchart




Fig.4:. Flowchart of Fire-fly Algorithm

3. Test Functions of Optimization Techniques

This section converses the various test functions which are used to find the best results in optimization techniques.

Beale: This function is defined as follows

$$f(x) = (1.5 - x_1 + x_1x_2)^2 + (2.25 - x_1 + x_1x_2^2)^2 + (2.625 - x_1 + x_1x_2^3)^2$$

$$f(x) = (1.5 - x_1 + x_1x_2)^2 + (2.25 - x_1 + x_1x_2^2)^2 + (2.625 - x_1 + x_1x_2^3)^2$$

Search domain of this function is $x_i \varepsilon$ [-4.5, 4.5] □i = 1,2.

Booth: This function is defined as follows

$$f(x) = (x_1 + 2x_2 - 7)^2 + (2x_1 + x_2 - 5)^2$$

$$f(x) = (x_1 + 2x_2 - 7)^2 + (2x_1 + x_2 - 5)^2$$

This function is a plate shaped function. Search domain of this function is $x_i \varepsilon$ [-10, 10] □ i = 1,2.

Bukin: The sixth Bukin function can be defined as follows

$$f(x) = 100\sqrt{|x_2 - 0.01x_1^2|} + 0.01|x_1 + 10|$$

This function has many local minima. The function is usually evaluated on the rectangle $x_1 \varepsilon$ [-15, -5], $x_2 \varepsilon$ [-3, 3].

Three-Hump Camel: This function can be defined as follows

$$f(x) = 2x_1^2 - 1.05x_1^4 + \frac{x_1^6}{6} + x_1x_2 + x_2^2$$

This function is a valley shaped function. The function is usually evaluated on the square $x_i \varepsilon$ [-5, 5] □ i = 1, 2.

Cross-in-Tray: This function can be defined as follows

$$f(x) = -0.0001\left(\left|\sin(x_1)\sin(x_2)e^{\left|100-\frac{\sqrt{x_1^2+x_2^2}}{\pi}\right|}\right| + 1\right)^{0.1}$$

It has multiple global minima. The function is usually evaluated on the square $x_i \varepsilon$ [-10, 10] □ i = 1, 2.

Easom: This function can be defined as follows

$$f(x) = -\cos(x_1)\cos(x_2)e^{-((x_1-\pi)^2+(x_2-\pi)^2)}$$

It has multiple local minima. It is unimodal and the global minimum has a small area relative to search space. The function is usually evaluated on the square $x_i \varepsilon$ [-100, 100] □ i = 1, 2.

Egg holder: This function can be defined as follows

$$f(x) = -(x_2+47)\sin\left(\sqrt{\left|x_2+\frac{x_1}{2}+47\right|}\right) - x_1\sin\left(\sqrt{|x_1-(x_2+47)|}\right)$$

This function is a difficult function to optimize as it has multiple local minima. The function is usually evaluated on the square $x_i \varepsilon$ [-512, 512] □ i = 1, 2.

Griewank: This function can be defined as follows

$$f(x) = \sum_{i=1}^{d}\frac{x_i^2}{4000} - \prod_{i=1}^{d}\cos\left(\frac{x_i}{\sqrt{i}}\right) + 1$$

Where, d – No. of dimensions

This function has multiple widespread local minima that are regularly distributed. The function is usually evaluated on the hypercube $x_i \varepsilon$ [-600, 600] □ i = 1 to d.

Levy: This function can be defined as follows

$$f(x) = \sin^2(\pi\omega_1) + \sum_{i=1}^{d-1}(\omega_i-1)^2[1+10\sin^2(\pi\omega_i+1)] + (\omega_d-1)^2[1+\sin^2(2\pi\omega_d)]$$

Where,

$\omega_i = 1 + \frac{x_i-1}{4}$, □ i = 1 to d

d – No. of dimensions

This function is usually evaluated on the hypercube $x_i \varepsilon$ [-10, 10] □ i = 1 to d.

Matya: This function can be defined as follows

$$f(x) = 0.26(x_1^2+x_2^2) - 0.48x_1x_2$$

This is a plate shaped function and hence, this function has only global minima but no local minima. It is usually evaluated on the square $x_i \varepsilon$ [-10, 10] □ i = 1, 2.

Mccormick: This function can be defined as follows

$$f(x) = \sin(x_1+x_2) + (x_1-x_2)^2 - 1.5x_1 + 2.5x_2 + 1$$

This is a plate shaped function and hence, this function has only global minima but no local minima. This function is usually evaluated on the rectangle $x_1 \varepsilon$ [-1.5, 4], $x_2 \varepsilon$ [-3, 4].

Rastrigin: This function can be defined as follows

$$f(x) = 10d + \sum_{i=1}^{d}[x_i^2 - 10\cos(2\pi x_i)]$$

Where, d – No. of dimensions

This function has multiple widespread local minima that are regularly distributed. The function is usually evaluated on the hypercube $x_i \varepsilon$ [-5.12, 5.12] □ i = 1 to d.

Rosenbrock: This function can be defined as follows

$$f(x) = \sum_{i=1}^{d-1}\left[100(x_{i+1}-x_i^2)^2 + (x_i-1)^2\right]$$

Where, d – No. of dimensions

The Rosennrock function is also called as valley or banana function. It is unimodal and the global minimum lies in a narrow parabolic valley. The function is usually evaluated on the hypercube $x_i \varepsilon$ [-5, 10] □ i = 1 to d.

Schaffer2: This function can be defined as follows

$$f(x) = 0.5 + \frac{\sin^2(x_1^2-x_2^2) - 0.5}{[1+0.01(x_1^2+x_2^2)]^2}$$

The second Schaffer function has multiple local minima. The function is usually evaluated on the square $x_i \varepsilon$ [-100, 100] □ i = 1, 2.

Schaffer4: This function can be defined as follows

$$f(x) = 0.5 + \frac{\cos(\sin|x_1^2-x_2^2|) - 0.5}{[1+0.01(x_1^2+x_2^2)]^2}$$

The fourth Schaffer function has multiple local minima. The function is usually evaluated on the square $x_i \varepsilon$ [-100, 100] □ i = 1, 2.

Sphere: This function can be defined as follows

$$f(x) = \sum_{i=1}^{d}x_i^2$$

Where, d – No. of dimensions

The sphere function is a bowl shaped function. It is continuous, convex and unimodal. The function is usually evaluated on the square $x_i \varepsilon$ [-5.12, 5.12] □ i = 1 to d.

Results:

The above mentioned test functions are supplied as fitness functions for the optimization algorithms and tested for best fit values.

4. Conclusion

This paper presents a basic flat form to work on swarm intelligence algorithms i.e., PSO, ACO, ABC and FFA. The behaviour and basic understandings of fitness functions have been discussed in this paper.

References

[1] https://en.wikipedia.org/wiki/Mathematical_optimization

[2] "The Nature of Mathematical Programming Archived2014-03-05 at the Wayback Machine.," Mathematical Programming Glossary, INFORMS Computing Society.

[3] Jung-Min Yang, Jong-Hwan Kim, "Sliding Mode Control for Trajectory Tracking of Nonholonomic Wheeled Mobile Robots", IEEE Transactions on Robotics and Automation, Vol. 15, No. 3, June 1999, 578-587.

[4] Yogeswaran Mohan, S. G. Ponnambalam, "An Extensive Review of Research in Swarm Robotics", 2009 World Congress on Nature & Biologically Inspired Computing (NaBIC 2009), 140–145.

[5] ManueleBrambilla, Eliseo Ferrante, Mauro Birattari, Marco Dorigo. Swarm Intell Swarm robotics: a review from the swarm engineering perspective. Swarm Intelligence, Springer, 2013, 7 (1), 1-41. <10.1007/s11721-012-0075-2>. <hal-01405919>

[6] M. R. AlRashidi, M. E. El-Hawary, "A Survey of Particle Swarm Optimization Applications in Electric Power Systems", IEEE Transactions on Evolutionary Computation, Sep. 2009, DOI: 10.1109/TEVC.2006.880326.

[7] Kwang Y Lee, Mohamed A El-Sharkawi, "Modern Heuristic Optimization Techniques: Theory and Applications to Power Systems", IEEE Press, Wiley Interscience, A John Wiley & Sons Inc. Publication, 2008, ISBN 978-0471-45711-4.

[8] Ahmed M Hasan, KhairulmizamSamsudin, Abd Rahman Ramli, Raja SyamsulAzmir, and Salam A Ismaeel, "A Review of NavigationSystems (Integrationand Algorithms)", Australian Journal of Basic and Applied Sciences, 3(2), 943-959, Jan 2009.

[9] Oren La'adan, Amnon Barak, "Inter Process Communication Optimization In A Scalable Computing Cluster", Annual Review of Scalable Computing. September 2000, 121-173.

[10] Minoru Mukuda, Yasuhiro Tsujimura, "A Multiobjective Genetic Algorithm For Solving Reliability Optimization Problem Of A Communication Network System", Advanced Reliability Modeling II. July 2006, 166-175.

[11] M. Egmont-Petersena, D. de Ridder b, H. Handels, "Image processing with neural networks—a review", Pattern Recognition Society, Elsevier, 2002, 35 (10), 2279-2301, DOI: 10.1016/s0031-3203(01)00178-9.

[12] Mahamed G. Omran, Andries P. Engelbrecht, Ayed Salman, "Image Classification Using Particle Swarm Optimization", Recent Advances in Simulated Evolution and Learning. August 2004, 347-365.

[13] A. Ghosh and A. Gorai, "Hue-Preserving Color Image Enhancement Using Particle Swarm Optimization", Integration of Swarm Intelligence and Artificial Neural Network. June 2011, 157-178.

[14] João Manuel, R. S. Tavares,Luísa Ferreira Bastos, "Improvement of Modal Matching Image Objects in Dynamic Pedobarography Using Optimization Techniques", Progress in Computer Vision and Image Analysis. August 2009, 339-368.

[15] HUA-MEI CHEN and PRAMOD K. VARSHNEY, "Techniques for Mutual Information-Based Brain Image Registration and Their Applications", Medical Imaging Systems Technology. August 2005, 325-350.

[16] A.Colorni, M.Dorigo, V.Maniezzo, "Distributed Optimization by Ant Colonies," Proceedings of the First European Conference on Artificial Life, Paris, France, F.Varela and P.Bourgine (Eds.), Elsevier Publishing, 134–142, 1991.

[17] A.Colorni, M.Dorigo, V.Maniezzo, "An Investigation of some Properties of an Ant Algorithm," Proceedings of the Parallel Problem Solving from Nature Conference (PPSN 92), Brussels, Belgium, R.Männer and B.Manderick (Eds.), Elsevier Publishing, 509-520, 1992.

[18] Dorigo M, Optimization, "learning and natural algorithms" PhD thesis, Dipartimento di Elettronica, Politecnico di Milano, Italy, 1992 [in Italian].

[19] Dorigo M, Gambardella LM, "Ant colony system: A cooperative learning approach to the traveling salesman problem", IEEE Transactions on Evolutionary Computing, 1997, 1(1), 53–66.

[20] Dorigo M, Stützle T, "Ant Colony optimization. Cambridge, MA: MIT Press; 2004.

[21] Bullnheimer B, Hartl R, Strauss C, "A new rank-based version of the Ant System: A computational study", Central European Journal of Operations Research, 1999;7(1):25–38.

[22] Stützle T, Hoos HH, "MAX–MIN Ant system", Future Generation Computer Systems 2000, 16(8), 889–914.

[23] Blum C, Dorigo M, "The hyper-cube framework for ant colony optimization", IEEE Transactions on System Management Cybernetics Part B 2004, 34(2), 1161–72.

[24] Gambardella LM, Taillard ÉD, Agazzi G, "MACS-VRPTW: A multiple ant colony system for vehicle routing problems with time windows", "New ideas in optimization", London: McGraw-Hill; 1999. p. 63–76.

[25] Reimann M, Doerner K, Hartl RF, "D-ants: Savings based ants divide and conquer the vehicle routing problems", Computers & Operations Research, 2004, 31(4), 563–91.

[26] Kennedy, J. and Eberhart, R. C, "Particle swarm optimization", Proceedings IEEE International conference on neural networks Vol. 4, pp. 1942-1948. IEEE service center, Piscataway, NJ, 1995.

[27] Eberhart, R. C. and Kennedy J, "A new optimizer using particle swarm theory", Proceedings of the sixth international symposium on micro machine and human science pp. 39-43. IEEE service center, Piscataway, NJ, Nagoya, Japan, 1995.

[28] Eberhart, R. C. and Shi, "Particle swarm optimization: developments, applications and resources", Proc. congress on evolutionary computation 2001 IEEE service center, Piscataway, NJ., Seoul, Korea., 2001.

[29] Y amilledel V alle, Ganesh Kumar Venayagamoorthy, Salman Mohagheghi, Jean-Carlos Hernandez, Ronald G. Harley, "Particle Swarm Optimization: Basic Concepts, Variants and Applications in Power Systems", IEEE Transactions on Evolutionary Computation, 12(2), April 2008.

[30] D. Karaboga, "An idea based on honey bee swarm for numerical optimization", Technical Report-TR06, Erciyes University, Engineering Faculty, Computer Engineering Department, 2005.

[31] Pei-Wei Tsai, Jeng-Shyang Pan, Bin-Yih Liao, and Shu-Chuan Chu, "Enhanced Artificial Bee Colony Optimization", International Journal of Innovative Computing, Information and Control Volume 5, Issue 12, December 2009.

[32] Karaboga, Dervis, and BahriyeAkay, "A modified artificial bee colony (ABC) algorithm for constrained optimization problems." Applied soft computing, 11(3), April 2011, 3021-3031.

[33] Karaboga, D., Gorkemli, B., Ozturk, C., &Karaboga, N. (2014). A comprehensive survey: artificial bee colony (ABC) algorithm and applications. Artificial Intelligence Review, 42(1), 21-57.

[34] Xin-She Yang, "Firefly algorithms for multimodal optimization", International symposium on stochastic algorithms. Springer, Berlin, Heidelberg, Oct 2009, 168-178.

[35] S. Palit, S. Sinha, M. Molla, A. Khanra, M. Kule, A cryptanalytic attack on the knapsack cryptosystem using binary firefly algorithm, in: Computer and Communication Technology (ICCCT), 2011 2nd International Conference on, IEEE, 2011, pp. 428–432.

[36] R. Falcon, M. Almeida, A. Nayak, Fault identification with binary adaptive fireflies in parallel and distributed systems, in: Evolutionary Computation (CEC), 2011 IEEE Congress on, IEEE, 2011, pp. 1359–1366.

[37] S. M. Farahani, A. Abshouri, B. Nasiri, M. Meybodi, A gaussian firefly algorithm, International Journal of Machine Learning and Computing 1 (5) (2011) 448–454.

[38] X. S. Yang, Metaheuristic optimization: algorithm analysis and open problems, in: P. Pardalos, S. Rebennack (Eds.), Experimental Algorithms, Lecture notes in computer science, Vol. 6630, Springer Verlag, Berlin, 2011, pp. 21–32.

[39] L. dos Santos Coelho, D. L. de Andrade Bernert, V. C. Mariani, A chaotic firefly algorithm applied to reliability-redundancy optimization, in: Evolutionary Computation (CEC), 2011 IEEE Congress on, Vol. 18, IEEE, 2013, pp. 89–98.

[40] A. Gandomi, X.-S. Yang, S. Talatahari, A. Alavi, Firefly algorithm with chaos, Communications in Nonlinear Science and Numerical Simulation 18 (1) (2013) 89 – 98. doi:10.1016/j.cnsns.2012.06.009.

[41] M. Subutic, M. Tuba, N. Stanarevic, Parallelization of the firefly algorithm for unconstrained optimization problems, in: Latest Advances in Information Science and Applications, 2012, pp. 264–269.

[42] A. Husselmann, K. Hawick, Parallel parametric optimisation with firefly algorithms on graphical processing units, Technical Report CSTN-141.

[43] T. Apostolopoulos, A. Vlachos, Application of the firefly algorithm for solving the economic emissions load dispatch problem, International Journal of Combinatorics 2011 (2011).

[44] X. S. Yang, S. S. S. Hosseini, A. H. Gandomi, Firefly algorithm for solving non-convex economic dispatch problems with valve loading effect, Applied Soft Computing 12 (3) (2011) 1180–1186

[45] B. Rampriya, K. Mahadevan, S. Kannan, Unit commitment in deregulated power system using lagrangian firefly algorithm, in: Communication Control and Computing Technologies (ICCCCT), 2010 IEEE International Conference on, IEEE, 2010, pp. 389–393.

[46] Y. Zhang, L. Wu, A novel method for rigid image registration based on firefly algorithm, International Journal of Research and Reviews in Soft and Intelligent Computing (IJRRSIC) 2 (2) (2012) 141–146.

[47] M. Horng, Vector quantization using the firefly algorithm for image compression, Expert Systems with Applications 39 (1) (2012) 1078–1091.

[48] T. Hassanzadeh, H. Vojodi, F. Mahmoudi, Non-linear grayscale image enhancement based on firefly algorithm, in: Swarm, Evolutionary, and Memetic Computing, Springer, 2011, pp. 174–181.

[49] B. Basu, G. Mahanti, Fire-fly and artificial bees colony algorithm for synthesis of scanned and broadside linear array antenna, Progress In Electromagnetics Research B 32 (2011) 169–190.

[50] B. Jakimovski, B. Meyer, E. Maehle, Firefly flashing synchronization as inspiration for self-synchronization of walking robot gait patterns using a decentralized robot control architecture, Architecture of Computing Systems (ARCS) 2010 (2010) 61–72.

[51] S. Severin, J. Rossmann, A comparison of different metaheuristic algorithms for optimizing blended ptp movements for industrial robots, Intelligent Robotics and Applications (2012) 321–330.

[52] Fister, Iztok, Xin-She Yang, and Janez Brest. "A comprehensive review of firefly algorithms." Swarm and Evolutionary Computation 13 (2013): 34-46.