International Journal of Engineering &Technology, 7 (4) (2018) 6928-6933

International Journal of Engineering & Technology

Website: www.sciencepubco.com/index.php/IJET
doi: 10.14419/ijet.v7i4.27587
Research paper

Behaviour of reinforced stone columns subjected to static shear loading conditions

R. S. V. Rashma [1] *, R. Shivashankar [2], B. R. Jayalekshmi [3]

[1] National Institute of Technology, Karnataka, Mangalore, India
**Corresponding author E-mail: rashmarsv@gmail.com*

Abstract

Stone columns, also known as granular piles, are an effective way of improving weak grounds which are having low bearing capacities, high compressibilities and low resistances to earthquakes. Stone column treatment is preferred to support low rise buildings or embankments on weak soils, which can tolerate some settlements. Stone columns mitigate liquefaction by providing shortest path for excess pore water to escape through the voids in stone columns. Another advantage of using stone column is that it can speed up consolidation process and the construction works can be started without much delay and thereby managing time and cost of construction.
The failure mechanism of stone column include bulging failure (long columns) or shear or punching failure. The failure mode depends on many parameters like strength, stiffness, length, diameter of column, reinforcement used, location, spacing, end condition, soft soil etc. Stone columns may fail by shear when it is subjected to horizontal load or movement. Columns mostly take vertical loads. When column supported embankments are huge, columns will undergo shear failure. It has been reported that the short end bearing and floating stone columns can fail in shear. Horizontal shear is also reported as one of the possible column failure mode under embankment.
In an embankment supported by stone columns, the columns in the middle is mostly subjected to vertical loading. But, the columns near to the toe of the embankment is subjected to lateral loading. The lateral load is predominantly acting on columns which are placed near to the toe of the embankment. The present study is focused on understanding the behaviour of porous concrete column improved ground subjected to static shear loading. Present study is aiming to study the behaviour of plain and reinforced stone columns under static shear loading conditions, with the help of numerical modelling using available software ABAQUS. The results of the study indicate that the porous concrete column improved soft/weak ground is able to take significantly more shear loads under less settlements under static lateral loading conditions and that porous concrete columns can withstand significant shear stresses.

Keywords: *Finite Element Modelling; Porous Concrete Columns; Stone Columns; Shear Strength; Shear Test Tank.*

1. Introduction

Stone columns are practiced all over the world for improving the vertical load carrying capacity and reducing settlement of soft soils and silty sands. Researchers across the world proposed various methods to improve vertical load carrying capacity of stone columns, but the behaviour under lateral loading is not well understood.
Barksdale and Bachus 1983 reported that the short end bearing stone columns fails in shear. They also reported that shear failure could occur for floating stone columns. In an embankment supported by stone columns, the columns in the middle is mostly subjected to vertical loading. But, the columns near to the toe of the embankment is subjected to lateral loading.
Le Ba 2013 reported that for end bearing columns, the actual failure mechanism may be of shear failure from the study conducted from finite element analysis. Kitazume 2007 and Han 2015 reported horizontal shear as one of the possible column failure mode under embankment. Kitazume and Maruyama 2007 evaluated the internal stability of Deep cement mixing (DCM) stone column improved ground using Rankine's theory of active and passive earth pressures. Shrestha 2015 reported that the current design methods consider the shear failure of DCM columns for internal stability below and stated that this kind of shear failure mechanism has not been verified experimentally and numerically.
Stone columns are subjected to lateral loading when it is placed below huge embankments and near to retaining wall. More research has to be carried out on stone columns under lateral loading to get an insight to the behaviour of improved ground. Recent researches suggested various reinforcements to ordinary stone columns in the form of providing geo-synthetic encasements(Murugesan and Rajagopal 2006; Wu and Hong 2007; Gniel and Bouazza 2008; Fattah and Majeed 2009; Hong et al. 2017; Castro 2016), geogrid encasements (Malarvizhi and Ilamparuthi 2006; Marto et al. 2013;),flexible sleeve(Wu et al. 2007),concrete plug(Black et al. 2007), random fibre (Partha and Samadhiya 2008),vertical circumferential nails (Shivashankar et al. 2010), horizontal strip (Ali et al. 2014), pervious stone columns (Suleiman et al. 2014) etc. Present study is aiming to study the behaviour of plain and porous concrete columns under static shear loading conditions.

Copyright ©2018 R. S. V. Rashma et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.




Fig. 1: Large Shear Test Tank.

2. Present study

2.1. Static loading using large shear test tank

In this study, series of three dimensional modelling of plain and reinforced stone columns were performed using Abaqus 3D software to understand the behavior of improved ground under static shear loading. The static shear is applied to the improved ground by generating lateral soil movement in plane strain tank by the application of vertical loading on the rigid plate. It has been reported by Murugesan and Rajagopal 2009 that the loading on the plane strain tank developed by them is very much similar to the lateral squeezing of soil bed between an embankment and relatively strong foundation below the soft clay. This plane strain tank setup is used in this study to evaluate the effect of diameter, effect of reinforced stone column and effect of depth of stone column (floating and end-bearing). The test setup used for modelling is shown in figure 1.

2.2. Validation and numerical modelling

Validation of numerical model was done by using the data from the experimental work reported by Murugesan and Rajagopal 2009. The results obtained from the numerical model is following the trends as reported in the experimental work.
The material parameters used in this study for validation as well as analysis is listed in Table 1 Porous concrete column is modelled as linear elastic material with Modulus of elasticity 15.4 GPa and a poisson's ratio of 0.20 as reported by Li Nu et al. 2014. The soil–stone column and soil-porous concrete interface is modelled with surface to surface contact with tangential and normal behavior and the coefficient of friction used is 0.36 and 0.3 respectively.
The analysis was carried out in two steps, geostatic step followed by displacement controlled loading given at the rate of 1.2 mm/min up to 50 mm vertical displacement. The loading rate and total time of 2520 s was adopted to simulate the laboratory work. The bottom part of the model is restrained in all directions and lateral vertical boundaries are restrained from displacement perpendicular to the respective surfaces. Following validation of the model, analysis was carried out in plain and porous concrete columns. The diameter of plain and reinforced stone column varied from 50mm, 70mm and 90 mm. Analysis of the effect of floating plain and reinforced stone columns are carried out for 90 mm diameter columns placed at a clear gap of 50 mm from the edge of the loading plate and depth of 4D and 6D are being documented.

Table 1: Material Properties Used in Simulation

Properties	Soft clay	Stone column
Model	Mohr-Coulomb	Mohr-Coulomb
Density(kN/m3)	17	20
Elastic modulus(kPa)	3000	45000
Poisson's ratio	0.45	0.3
Cohesion(KPa)	20	1
Friction Angle	0	42
Dilation Angle	0	10

3. Results and discussion

3.1. Effect of porous concrete column

This analysis is carried out for analyzing the shear resistance of porous column improved ground over unimproved ground. The analysis were carried out on soil, plain stone column and modified stone column using porous concrete. It can be seen from figure 2 that the performance of porous concrete column is very much higher than plain stone columns. While analyzing the deformed shape of model after analysis, the porous stone column has not undergone any shear failure and the behavior was similar to that of a flexible pile, whereas the plain stone column improved ground has seen to exhibit almost zero resistance and has undergone shear failure as shown in the figure 3. The porous concrete has higher modulus of elasticity and thereby the improved ground exhibits higher shear resistance than plain stone columns.




Fig. 2: Effect of Porous Concrete Column (Diameter of Column = 90 Mm, Length of Columns = 600 Mm and Distance from the Edge of Loading Plate = 50 Mm).




Fig. 3: Deformed Model A) Porous Concrete Column Improved Ground B) Plain Stone Column Improved Ground.




Fig. 4: Effect of Diameter (Length of Columns = 600 Mm and Distance from the Edge of Loading Plate = 50 Mm).




Fig. 5: Effect of Depth of Porous Concrete Columns (Diameter of Column = 90 Mm and Distance from the Edge of Loading Plate = 50 Mm).




Fig. 6: Heave Profile of Clay.

3.2. Effect of diameter

Figure 4 shows the pressure settlement response of soil bed, plain stone columns and porous columns of diameters 50 mm, 70 mm and 90 mm respectively. The pressure settlement response under the loading plate for plain stone columns are almost same for all three diameters. But the response of porous column reinforced ground increased with increase in diameter. The increase in shear resistance of reinforced columns with larger diameter can be attributed to the resistance area offered by the rigid porous concrete along the full length of the column.

3.3. Effect of depth of porous concrete columns

Analysis were conducted on floating porous concrete columns and plain stone column improved ground with 90 mm diameter and columns placed at a clear gap of 50 mm from the edge of the loading plate for varying lengths 4D and 6D, D being diameter of stone column and to full length of 600 mm, i.e. end bearing. Porous column with end bearing condition showed maximum response than unreinforced ground and plain stone columns of varying depth. It can be also observed that the floating porous columns have better performance than untreated soil and plain stone columns.

3.4. Heave profile

Figure 6 represents the heave profile observed in the deformed model after analysis. The heave profile of the unimproved soil bed followed the same pattern as that of plain stone column. This shows that the plain stone column moved along with the soil without shear resistance. While the porous concrete column the upheaval in the column is very less when compared to plain and untreated ground. It can be also observed in the deformed figure 3 that the soil movement in porous concrete column is very limited near and beyond porous concrete column. This also indicates the better shear performance of porous concrete column over plain stone columns.

4. Conclusions

An attempt has been made to study the behavior of plain and porous concrete stone columns under static shear loading using plane strain model. It is observed that the porous concrete column has higher shear resistance than plain stone columns and unimproved foundation soil bed. The performance of porous stone column increased with increase in diameter of stone columns. The reinforced stone column improved ground with depth 6D has more shear resistance than 4D column. However, the performance of plain stone column with varying depths have almost similar resistance. The plain stone columns were found to have shear failure near to top and bottom ends along the length of stone columns and were having same failure pattern as that of unimproved ground. Shear resistance of improved ground can be increased by providing larger diameter reinforced columns near to the toe of the embankment.

References

[1] Ali, K., J.T Shahu, and K.G. Sharma. 2014. "Model tests on single and groups of stone columns with different geosynthetic reinforcement arrangement." *Geosynthetics International* (ICE Publishing) 21 (2): 103-118. doi:10.1680/gein.14.00002. https://doi.org/10.1680/gein.14.00002.

[2] Ambily, A.P, and S.R Gandhi. 2007. "Behavior of Stone Columns Based on Experimental and FEM Analysis." *Journal of Geotechnical and Geoenvironmental Engineering,ASCE* (ASCE) 133 (4): 405-415. https://doi.org/10.1061/(ASCE)1090-0241(2007)133:4(405).

[3] Babu, M.R.D, Sitaram Nayak, and R. Shivashankar. 2013. "A Critical Review of Construction, Analysis and Behaviour of Stone Columns." *Journal of Geotechnical and Geological Engineering,ASCE* (Springer Netherlands) 31 (1): 1–22. doi:10.1007/s10706-012-9555-9. https://doi.org/10.1007/s10706-012-9555-9.

[4] Black, J.A, V Sivakumar, M.R Madhav, and G.A Hamill. 2007. "Reinforced Stone Columns in Weak Deposits: Laboratory Model Study." *Journal of Geotechnical and Geoenvironmental Engineering,ASCE* (ASCE) 133 (9): 1154-1161. https://doi.org/10.1061/(ASCE)1090-0241(2007)133:9(1154).

[5] Castro, Jorge. 2017. "Modeling Stone Columns." *Materials* (Multidisciplinary Digital Publishing Institute, Basel, Switzerland) 10 (7). https://doi.org/10.3390/ma10070782.

[6] Fattah, Mohammed.Y, and Qutaiba.G Majeed. 2009. "Behaviour of Encased Floating Stone Columns." *Engineering and Technology Journal* 27 (7).

[7] Ferhat, Şahinkaya, Vekli Mustafa, and Cuma Çadir Cenk. 2017. "Numerical analysis under seismic loads of soils improvement with floating stone columns." *Natural Hazards* (Springer) 88 (2): 891-917. https://doi.org/10.1007/s11069-017-2897-0.

[8] Gniel, Joel, and Abdelmalek Bouazza. 2008. "Improvement of soft soils using geogrid encased stone columns." *Geotextiles and Geomembranes* (Elsevier) 167-175. https://doi.org/10.1016/j.geotexmem.2008.11.001.

[9] Han, Jie. 2015. "Recent research and development of ground column technologies." *Proceedings of the Institution of Civil Engineers - Ground Improvement* 168 (4): 246-264. https://doi.org/10.1680/grim.13.00016.

[10] Hazarika, Hemanta, Donovan Mujah, Naoto Watanabe, Fauziah Ahmad, and Nouriyuki Yasufuku. 2012. "Numerical Analysis of Sand Reinforced With Small Diameter Model Steel Pile." *5th Asian Regional Conference on Geosynthetics.* Bangkok, Thailand: Asian Institute of Technology (AIT). 327-332. https://espace.curtin.edu.au/handle/20.500.11937/5292.

[11] Helwany, Sam. 2007. *Applied Soil Mechanics with ABAQUS Applications.* John Wiley & Sons, Inc. https://doi.org/10.1002/9780470168097.

[12] Hong, Yung-Shan, Cho-Sen Wu, Chien-Ming Kou, and Cheng-Hsin Chang. 2017. "A numerical analysis of a fully penetrated encased granular column." *Geotextiles and Geomembranes* (Elsevier Ltd). https://doi.org/10.1016/j.geotexmem.2017.05.002.

[13] *IRC Guidelines for the design of high embankments(2015).* New Delhi: Indian Roads Congress.

[14] *IS 15284-1 - 2003:Design and construction for ground improvement - Guidelines, Part 1: Stone columns.* New Delhi: Bureau of Indian Standards.

[15] Ishihara, Kenji. 1974. *Liquefaction of Subsurface Soils During Earthquakes.* https://www.scribd.com/document/349514783/Ishihara-Liquefaction-of-Subsurface-Soils-During-Earthquakes.

[16] Jian-FengChen, Liang-YongLi, Jian-FengXue, and Shou-ZhongFeng. 2015. "Failure mechanism of geosynthetic-encased stone columns in soft soils under embankment." *Geotextiles and Geomembranes* (Elsevier) 43 (5): 424-431. https://doi.org/10.1016/j.geotexmem.2015.04.016.

[17] Kitazume, Mazaki, and Kenji Maruyama. 2007. "Internal stability of group column type deep mixing improved ground under embankment loading." *Soils and Foundations* (Japanese Geotechnical Society) 47 (3): 437-455. https://doi.org/10.3208/sandf.47.437.

[18] Malarvizhi, S.N, and Illamparuthi.K. 2006. "Modelling of geogrid encased stone column." *Proceedings of the 2nd International congress on Computational Mechanics and Simulation(ICCMS-06).* IIT Guwahati,India.

[19] Malarvizhi, S.N, and K Ilamparuthi. 2004. "Load versus Settlement of Claybed stabilized with Stone & Reinforced Stone Columns." *Proceedings of the 3rd Asian Regional Conference on Geosynthetics,GEOASIA.* Seuol,Korea. 322-329.

[20] Marto, Aminaton, Razieh Moradi, Farshad Helmi, Nima Latifi, and Mohsen Oghabi. 2013. "Performance Analysis of Reinforced Stone columns using Finite Element Method." *Electronic Journal of Geotechnical Engineering* 18. http://www.ejge.com/2013/Ppr2013.027alr.pdf.

[21] Meshkinghalam, Haleh, Hajialilue Bonab Masoud, and Ali Khoshravan Azar. 2017. "Numerical Investigation of stone column system for liquefaction and settlement diminution potential." *International Journal of Geo-Engineering* (Springer Singapore) 8 (11): 1-24. https://doi.org/10.1186/s40703-017-0047-x.

[22] Moayed, R. Ziaie, and M. Hossein Zade. n.d. "Numerical Analysis of Geosynthetic- Encased Stone columns under lateral loads." https://waset.org/publications/10006113/numerical-analysis-of-geosynthetic-encased-stone-columns-under-laterally-loads.

[23] Mohapatra, S.R., S.R Mishra, S Nithin, K. Rajagopal, and Jitendra Sharma. 2016. "Effect of Box Size on Dilative Behaviour of Sand in Direct Shear Test." *Indian Geotechnical Conference.* Chennai, India. https://www.researchgate.net/publication/311705650_Effect_of_Box_Size_on_Dilative_Behaviour_of_Sand_in_Direct_Shear_Test.

[24] Mohapatra, Sunil Ranjan, and K Rajagopal. 2015. "Mode of failure of granular column subjected to lateral loading." *The 6th International Geotechnical Symposium on Disaster Mitigation in Special Geoenvironmental Conditions.* Chennai, India.

[25] Mohapatra, Sunil Ranjan, and K. Rajagopal. 2015. "Experimental and numerical modelling of geosynthetic encased stone columns subjected to shear loadin." *Japanese Geotechnical Society Special Publication* 2 (67): 2292-2295. https://doi.org/10.3208/jgssp.IGS-08.

[26] Mohapatra, Sunil Ranjan, K Rajagopal, and Sharma Jitendra. 2016. "Direct shear tests on geosynthetic-encased granular columns." *Geotextiles and Geomembranes* (Elsevier BV) 44 (3): 396-405. https://doi.org/10.1016/j.geotexmem.2016.01.002.

[27] Mohapatra, Sunil Ranjan, K. Rajagopal, and Jitendra Sharma. 2016. "3-Dimensional numerical modeling of geosynthetic-encased granular columns." *Geotextiles and Geomembranes* (Elsevier Ltd.) 45 (3): 131-141. https://doi.org/10.1016/j.geotexmem.2017.01.004.

[28] Mohapatra, Sunil Ranjan, Rajagopal Karpurapu, and Jit Sharma. 2014. "Analysis of geotextile-reinforced stone columns subjected to lateral loading." *10th International Conference on Geosynthetics.* Berlin, Germany. https://www.researchgate.net/publication/287019160_Analysis_of_geotextile-reinforced_stone_columns_subjected_to_lateral_loading.

[29] Mokhberi, Mehdi, and Hossein Khademi. 2017. "The Use of Stone Columns to Reduce the Settlement of Swelling Soil Using Numerical Modeling." *Journal of Civil Engineering and Materials Apllication* 45-60. https://doi.org/10.15412/J.JCEMA.12010203.

[30] Murugesan, S, and K. Rajagopal. 2009. "Experimental and numerical investigations on the behaviour of geosynthetic encased stone columns." *IGC.* Guntur, INDIA. 480-484. https://gndec.ac.in/~igs/ldh/conf/2009/articles/T07_36.pdf.

[31] Murugesan, S, and K. Rajagopal. 2009. "Shear Load Tests on Stone Columns With and Without Geosynthetic Encasement." *Geotechnical Testing Journal* (ASTM International) 32 (1): 76-85. https://doi.org/10.1520/GTJ101219.

[32] Murugesan, S., and K Rajagopal. 2006. "Geosynthetic-encased stone columns: Numerical evaluation." *Geotextiles and Geomembranes* (Elsevier) 349-358. https://doi.org/10.1016/j.geotexmem.2006.05.001.

[33] Nguyen, Binh, Tomohide Takeyam, and Kitazume Masaki. 2016. "Internal Failure of Deep Mixing Columns Reinforced by a Shallow Stabilized Soil beneath an embankment." *International journal of Geosynthetics and Ground Engineering* (Springer International Publishing Switzerland) 2 (30). https://doi.org/10.1007/s40891-016-0072-4.

[34] Ni, Lusu. 2014. "Pervious Concrete Piles: Development and Investigation of an Innovative Ground Improvement System." Theses and Dissertations., Civil Engineering, Lehigh University. https://preserve.lehigh.edu/etd/1572 .

[35] Ni, Lusu, Muhannad T. Suleiman, and Anne Raich. 2016. "Behavior and Soil–Structure Interaction of Pervious Concrete Ground-Improvement Piles under Lateral Loading." *Journal of Geotechnical and Geoenvironmental Engineering* (American Society of Civil Engineers) 142 (2). https://doi.org/10.1061/(ASCE)GT.1943-5606.0001393.

[36] Ni, Lusu, Muhannad T. Suleiman, and Anne Raich. 2015. "Behavior and Soil–Structure Interaction of Pervious Concrete Ground-Improvement Piles under Lateral Loading." *Journal of Geotechnical and Geo-environmental Engineering* (American Society of Civil Engineers) 142 (2). https://doi.org/10.1061/(ASCE)GT.1943-5606.0001393.

[37] Partha, B, and N.K Samadhiya. 2008. "Load carrying capacity of Random fiber Mixed Granular Pile." *The 12th International Conference of International Association for Computer Methods and Advances in Geomechanics(IACMAG).* Goa, India.

[38] Rajagopal, Karpurapu, and Sunil Ranjan Mohapatra. 2016. "Behaviour of geosynthetic encased granular columns under vertical and lateral loading." *6th Asian Regional Conference on Geosynthetics - Geosynthetics for Infrastructure Development.* New Delhi, India. Raju, K.V.S.B, L Govinda Raju, and A.S Chandrashekhar. 2013. "Cyclic Response of Stone Columns." *International Journal of Scientific and Engineering Research* 4 (5).

[39] Shivashankar, R, M.R.D Babu, Sitaram Nayak, and R. Manjunath. 2010. "Stone Columns with Vertical Circumferential Nails: Laboratory Model Study." *Geotechnical and Geological Engineering* (Springer Netherlands) 28 (5): 695–706. https://doi.org/10.1007/s10706-010-9329-1.

[40] Shrestha, S, JC Chai, DT Bergado, T Hino, and Y Kamo. 2015. "3D FEM investigation on bending failure mechanism of column inclusion under embankment load." *Lowland Technology International* (International Association of Lowland Technology (IALT)) 17 (3): 157-166. https://doi.org/10.14247/lti.17.3_157.

[41] *Standard Test Method for Direct Shear Test of Soils Under Consolidated Drained Conditions(2011).* Standards and Publications, ASTM. https://www.astm.org/Standards/D3080.

[42] Suleiman, Muhannad T., Lusu Ni, and Anne Raich. 2014. "Development of Pervious Concrete Pile Ground-Improvement Alternative and Behavior under Vertical Loading." *Journal of Geotechnical and Geoenvironmental Engineering* 140 (7). https://doi.org/10.1061/(ASCE)GT.1943-5606.0001135.

[43] Vinh, Le Ba, and Le Ba Khanh. 2013. "Study on the settlement and the load-bearing capacity of Long An soft ground reinforced by the stone columns." *International Mini Symposium CHUBU(IMS-CHUBU).* Japanese Geotechnical Society Special Publication. 124-129. https://doi.org/10.3208/jgssp.v05.032.

[44] Wu, Cho-Sen, and Yung-Shan Hong. 2008. "Laboratory tests on geosynthetic-encapsulated sand columns." *Geotextiles and Geomembranes* (Elsevier) 107-120. https://doi.org/10.1016/j.geotexmem.2008.09.003.

[45] Wu, Cho-Sen, Yung-Shan Hong, and Hsien-Chin Lin. 2008. "Axial stress–strain relation of encapsulated granular column." *Computers and Geotechnics* (Elsevier) 1-15. https://doi.org/10.1016/j.compgeo.2008.01.003.

[46] Yanmei, Zhang, and Zhang Xudong. 2011. "Dynamic response analysis of liquefaction foundation treated by stone columns." *International Conference on Electric Technology and Civil Engineering (ICETCE).* IEEE Xplore. https://doi.org/10.1109/ICETCE.2011.5775916.

[47] Yashwant, A Kolekhar, Shafi Mir Owais, and S.Murthy Dasaka. 2011. "Behaviour of Stone Column Reinforced Marine Clay under static and Cyclic loading." *Proceedings of Indian Geotechnical Conference.* Kochi: Indian Geotechnical Society.

[48] Zhan, Yongxiang, Guanlu Jiang, and Hailin Yao. 2014. "Dynamic Characteristics of Saturated Silty Soil Ground Treated by Stone Column Composite Foundation." *Advances in Materials Science and Engineering* (Hindawi Publishing Corporation). https://doi.org/10.1155/2014/745386.

[49] Ziaie Moayed, R., S. Tamassoki, and E. Izadi. 2012. "Numerical Modeling of Direct Shear Tests on Sandy Clay." *World Academy of Science, Engineering & Technology* 6 (1). https://www.researchgate.net/publication/281495576_Numerical_modeling_of_direct_shear_tests_on_sandy_clay.